

High Dimensional Clustering with r -nets

Georgia Avarikioti, Alain Ryser, Yuyi Wang, Roger Wattenhofer

ETH Zurich, Switzerland

{zetavar,aryser,yuwang,wattenhofer}@ethz.ch

Abstract

Clustering, a fundamental task in data science and machine learning, groups a set of objects in such a way that objects in the same cluster are closer to each other than to those in other clusters. In this paper, we consider a well-known structure, so-called r -nets, which rigorously captures the properties of clustering. We devise algorithms that improve the runtime of approximating r -nets in high-dimensional spaces with ℓ_1 and ℓ_2 metrics from $\tilde{O}(dn^{2-\Theta(\sqrt{\epsilon})})$ to $\tilde{O}(dn + n^{2-\alpha})$, where $\alpha = \Omega(\epsilon^{1/3}/\log(1/\epsilon))$. These algorithms are also used to improve a framework that provides approximate solutions to other high dimensional distance problems. Using this framework, several important related problems can also be solved efficiently, e.g., $(1 + \epsilon)$ -approximate k th-nearest neighbor distance, $(4 + \epsilon)$ -approximate Min-Max clustering, $(4 + \epsilon)$ -approximate k -center clustering. In addition, we build an algorithm that $(1 + \epsilon)$ -approximates greedy permutations in time $\tilde{O}((dn + n^{2-\alpha}) \cdot \log \Phi)$ where Φ is the spread of the input. This algorithm is used to $(2 + \epsilon)$ -approximate k -center with the same time complexity.

Introduction

Clustering aims at grouping together similar objects, where each object is often represented as a point in a high dimensional space. Clustering is considered to be a cornerstone problem in data science and machine learning, and as a consequence there exist multiple clustering variants. For instance, while each cluster may just be represented as a set of points, it is often advantageous to select one point of the data set as a *prototype* for each cluster.

A significant formal representation of such a prototype clustering is known as r -nets. Given a large set of n data points in d -dimensional space, an r -net is a subset (the prototypes) of these data points. This subset needs to fulfill two properties: First, balls of radius r around each of the prototypes need to contain every point of the whole data set (covering). Second, we must ensure that the prototypes are well separated, i.e., no ball contains the center of any other ball (packing). *Approximate r -nets* lift the covering constraint a tiny bit by allowing balls to have a slightly larger radius than r , while preserving the packing property, i.e., any two prototypes still need to have at least distance r .

Copyright © 2019, Association for the Advancement of Artificial Intelligence (www.aaai.org). All rights reserved.

Throughout this paper, we assume data sets to be large and high dimensional. We therefore assume the number of features d of each object to be non-constant. This leads to interesting and important problems, as this assumption forces us to think about algorithms whose runtime is sub-exponential (preferably linear) in the number of features d . In addition, we want our runtime to be sub-quadratic in the size n of our data. In this paper we lay theoretical groundwork, by showing improved algorithms on the approximate r -net problem and applications thereof.

Related Work

There is not a unique best clustering criterion, hence many methods (Estivill-Castro 2002) are proposed to solve the clustering problem for different applications (e.g., (Sibson 1973; Defays 1977; Lloyd 1982; Kriegel et al. 2011)), which makes it difficult to systematically analyze clustering algorithms.

In our paper we will make use of so-called polynomial threshold functions (PTF), a powerful tool developed by (Alman, Chan, and Williams 2016). PTFs are distributions of polynomials that can efficiently evaluate certain types of Boolean formulas with some probability. They are mainly used to solve problems in circuit theory, but were also used to develop new algorithms for other problems such as approximate all nearest neighbors or approximate minimum spanning tree in Hamming, ℓ_1 and ℓ_2 spaces. In the following, we employ this method to develop an algorithm that computes approximate r -nets.

The algorithmic framework Net & Prune, was developed by (Har-Peled and Raichel 2015). It is able to solve so called nice distance problems, when provided with a suitable data structure for the problem. These data structures are often constructed by exploiting r -nets. A major drawback of the framework is its restriction to a constant number of features. Consequently, this framework was later extended by (Avarikioti et al. 2017) to also solve higher dimensional cases. The algorithm, constructed in this paper, yields an immediate improvement on this framework, as the construction of the framework is based around approximate r -nets. We also present various of the previously mentioned data structures that we plug into the framework to solve high dimensional distance optimization problems.

Recent work by (Eppstein, Har-Peled, and Sidiropoulos

2015) suggests a way of constructing approximate greedy permutations with approximate r -nets. Greedy permutations imply an ordering of the data, which provide a solution to 2-approximate k -center clustering as shown by (Gonzalez 1985). We present a similar construction, by applying approximate greedy permutations.

An approach on hierarchical clustering was presented by (Dasgupta 2002). They construct an algorithm based on furthest first traversal, which is essentially building a greedy permutation and then traversing the permutation in order.

In (Fern and Brodley 2003) they present how random projections, in practice, can be applied to reduce the dimension of given data. We later employ a similar approach, namely random projections to lines, to reduce the approximate r -net problem with ℓ_1 metrics to a low-dimensional subspace.

Our Contribution

This paper presents new theoretical results on the construction of $(1 + \epsilon)$ -approximate r -nets, improving the previous upper bound of $\tilde{O}(dn^{2-\Theta(\sqrt{\epsilon})})$ by (Avarikioti et al. 2017). We denote n as the number of data points, d the dimension of the data and $\alpha = \Omega(\epsilon^{\frac{1}{3}}/\log(\frac{1}{\epsilon}))$ for an arbitrary error parameter ϵ . The algorithm builds approximate r -nets in Hamming, ℓ_1 and ℓ_2 spaces, running in $\tilde{O}(n^{2-\alpha} + n^{1.7+\alpha}d)^1$ time in both Hamming and Euclidean spaces.

We also modify our algorithm to yield an improvement on the Net & Prune framework of (Avarikioti et al. 2017). Supplying the framework with certain data structures, which are created using approximate r -nets, we derive new algorithms with improved runtime on $(1 + \epsilon)$ -approximate k -smallest nearest neighbor distance, $(4 + \epsilon)$ -approximate Min-Max Clustering, introduced in (Har-Peled and Raichel 2015), and $(4 + \epsilon)$ -approximate k -center clustering. These algorithms run in $\tilde{O}(dn + n^{2-\alpha})$ for data sets in ℓ_1 or ℓ_2 spaces. With the exception of approximate k -smallest nearest neighbor, this is, to our knowledge, the first time this framework is used to solve these problems in high dimensional spaces. We later also design a new algorithm to $(2 + \epsilon)$ -approximate k -center clustering, by deriving an improved version of the algorithm for $(1 + \epsilon)$ -approximate greedy permutations in (Eppstein, Har-Peled, and Sidiropoulos 2015). Both of these algorithms have a runtime of $\tilde{O}((dn + n^{2-\alpha}) \log \Phi)$, where Φ denotes the spread of the data. We define the spread of a dataset as the fraction of the diameter over the shortest distance of the graph.

The omitted proofs can be found in the full version of the paper (<https://arxiv.org/abs/1811.02288>).

Approximate r -nets

In this section, we present an algorithm that builds approximate r -nets in ℓ_1 and ℓ_2 spaces. To that end, we first derive an algorithm, that constructs approximate r -nets in Hamming space. We later show how to reduce the problem from ℓ_1 or ℓ_2 to Hamming space.

¹The \tilde{O} notation throughout the paper hides logarithmic factors in n and polynomial terms in $\frac{1}{\epsilon}$

Approximate r -net in Hamming Space

Building approximate r -nets in Euclidean space is computationally expensive. Therefore, we initially restrict ourselves to datapoints on the vertices of a high dimensional hypercube. The distance between any two datapoints is then measured by the Hamming distance. In the following, we define the notion of approximate r -nets in this metric space, where the error is additive instead of multiplicative.

Definition 1. Given a point set $X \subset \{0, 1\}^d$, a radius $r \in \mathbb{R}$, an approximation parameter $\epsilon > 0$ and the Hamming distance denoted as $\|\cdot\|_1$, an approximate r -net of X with additive error ϵ is a subset $C \subset X$ such that the following properties hold:

1. (packing) For every $p, q \in C$, $p \neq q$, it holds that

$$\|p - q\|_1 \geq r$$

2. (covering) For every $p \in X$, there exists a $q \in C$, s. t.

$$\|p - q\|_1 \leq r + \epsilon d \quad (\text{additive error})$$

To construct approximate r -net we employ Probabilistic Polynomial Threshold Functions, a tool introduced in (Alman, Chan, and Williams 2016). To effectively apply this technique, we require a sparse dataset, meaning that we assume that most of the points are further than r from each other. To that end, we present a technique that sparsifies the data in advance without losing information for our problem.

Sparsification To sparsify our data, we apply brute force to build part of the approximate r -net. Intuitively, we randomly pick a center point from our dataset and then remove every point that is closer than $r + \epsilon d$ from the center, by checking every point of the dataset. This technique was originally introduced in (Avarikioti et al. 2017). The proof of Theorem 1 closely follows this work.

Theorem 1. Given $X \subset \{0, 1\}^d$, $|X| = n$, $\epsilon > 0$, the Hamming distance which we denote as $\|\cdot\|_1$ and some distance $r \in \mathbb{R}$, we can compute a set $X' \subset X$ with

$$\Pr[Y \leq n^{1.7}] \geq 1 - n^{-0.2}$$

and a partial r -net C of $X \setminus X'$, where

$Y := |\{\{i, j\} | x_i, x_j \in X', \|x_i - x_j\|_1 \leq r + \epsilon d\}|$ the number of points with close distance to each other, in time $O(dn^{1.5})$.

Distance Matrix Next we introduce a tool, called *distance matrix*, to approximate r -nets. To construct a distance matrix, we partition the dataset into disjoint sets of equal size. The rows of the matrix correspond to partitions and the columns to points of the dataset. Each entry holds a value which indicates if any of the points in a partition (row) is at most $r + \epsilon d$ close to a data point (column). We use Probabilistic Polynomial Threshold Functions, formally defined below, to construct a matrix with such indicator values.

Definition 2 ((Alman, Chan, and Williams 2016)). If f is a Boolean function on n variables, and R is a ring, a probabilistic polynomial for f with error $\frac{1}{s}$ and degree d is a distribution \mathcal{D} of degree- d polynomials over R such that $\{0, 1\}^n$, $\Pr_{p \sim \mathcal{D}}[p(x) = f(x)] \geq 1 - \frac{1}{s}$.

The main building block to construct the distance matrix is Theorem 2, which uses the fact that each entry of the distance matrix can be expressed as a Boolean formula.

Theorem 2 ((Alman, Chan, and Williams 2016)). *Given d, s, t, ϵ , we can construct a probabilistic polynomial $\tilde{P} : \{0, 1\}^{ns} \rightarrow \mathbb{R}$ of degree at most $\Delta := O((\frac{1}{\epsilon})^{\frac{1}{3}} \log(s))$ with at most $s \cdot \binom{n}{\Delta}$, such that:*

1. *If $\sum_{i=1}^s [\sum_{j=1}^n x_{ij} \geq t]$ is false, then $|\tilde{P}(x_{11}, \dots, x_{1n}, \dots, x_{s1}, \dots, x_{sn})| \leq s$ with probability at least $\frac{2}{3}$;*
2. *If $\sum_{i=1}^s [\sum_{j=1}^n x_{ij} \geq t + \epsilon n]$ is true, then $\tilde{P}(x_{11}, \dots, x_{1n}, \dots, x_{s1}, \dots, x_{sn}) > 2s$ with probability at least $\frac{2}{3}$.*

Before we show how to construct the distance matrix for a given dataset, we cite the following Lemma by (Coppersmith 1982), on rectangular matrix multiplication.

Lemma 1 ((Coppersmith 1982)). *For all sufficiently large N , and $\alpha \leq .172$, multiplication of an $N \times N^\alpha$ matrix with an $N^\alpha \times N$ matrix can be done in $N^2 \text{poly}(\log N)$ arithmetic operations, over any field with $O(2^{\text{poly}(\log N)})$ elements.²*

Next, we present how to build the distance matrix, combining fast matrix multiplication and Probabilistic Polynomial Threshold Functions.

Theorem 3. *Let X be a set of n points in $\{0, 1\}^d$, a radius $r \in \mathbb{R}$, some $\epsilon \gg \frac{\log^6(d \log n)}{\log^3 n}$, $\alpha = \Omega(\frac{\epsilon^{\frac{1}{3}}}{\log(\frac{d}{\epsilon \log n})})$ and let $\|\cdot\|_1$ denote the Hamming distance. There exists an algorithm that computes, with high probability, a $n^{1-\alpha} \times n$ matrix W and a partition $S_1, \dots, S_{n^{1-\alpha}}$ of X that satisfies the following properties:*

1. *For all $i \in [n^{1-\alpha}]^3$ and $j \in [n]$, if $\min_{p \in S_i} \|x_j - p\|_1 \leq r$ then $W_{i,j} > 2|S_i|$.*
2. *For all $k \in [n^{1-\alpha}]$ and $j \in [n]$, if $\min_{p \in S_i} \|x_j - p\|_1 > r + \epsilon d$, then $|W_{i,j}| \leq |S_i|$*

The algorithm runs in $\tilde{O}(n^{2-\alpha})$.

Building a Net Now, we present how we can build an approximate r -net for a data set, as in (Avarikioti et al. 2017): we first employ the sparsification technique and then build the distance matrix in the sparse dataset where we can search efficiently. The running time of building an approximate r -net is dominated by the time complexity of the construction of the distance matrix.

Theorem 4. *Given $X \subset \{0, 1\}^d$ with $|X| = n$, some distance $r \in \mathbb{R}$ and some $\epsilon \gg \frac{\log^6(d \log n)}{\log^3 n}$, we can compute a set C that contains the centers of an approximate r -net with additive error at most ϵ with high probability in time $\tilde{O}(n^{2-\alpha} + dn^{1.7+\alpha})$, where $\alpha = \Omega(\frac{\epsilon^{\frac{1}{3}}}{\log(\frac{d}{\epsilon \log n})})$.*

Proof. We apply Theorem 1 to the set X with radius r and error ϵ . This results in the remaining points X' , a partial

²A proof can be found in the Appendix of (Williams 2014)

³By $[k]$ we denote the set $\{1, 2, \dots, k\}$

approximate r -net C' for $X \setminus X'$ and $\Pr[Y \leq n^{1.7}] \geq 1 - n^{-0.2}$, where $Y := |\{\{i, j\} | x_i, x_j \in X', \|x_i - x_j\|_1 \leq r + \epsilon d\}|$, in time $O(n^{1.5}d)$. We then apply Theorem 3 to assemble the distance matrix W and the partition $S_1, \dots, S_{n^{1-\alpha}}$ on inputs X', ϵ and r . If we encounter more than $n^{1.7}$ entries W_{ij} where $W_{ij} > 2|S_i|$, we restart the algorithm. Since $\Pr[Y \leq n^{1.7}] \geq 1 - n^{-0.2}$, with high probability we pass this stage in a constant number of runs.

Next, we iterate top down over every column of W . For every column j , first check if x_j is already deleted. If this is the case we directly skip to the next column. Otherwise set $C = C \cup \{x_j\}$ and delete x_j . For every entry in that column such that $W_{i,j} > 2|S_i|$, we then delete every $x \in S_i$ where $\|x_j - x\|_1 \leq r + \epsilon d$.

As we iterate over every column of W , which correspond to every point of X' , the net fulfills covering. Since points that are added as centers were not covered within r of a center by previous iterations, C also fulfills packing. Thus C now contains the net points of an approximate r -net of X' .

By Theorem 3, building the distance matrix takes $\tilde{O}(n^{2-\alpha})$ time and iterating over every entry of W takes $\tilde{O}(n^{2-\alpha})$ time as well. For at most $n^{1.7}$ of these entries, we check the distance between points in a set S_i and the point of the current column which takes another $O(n^{1.7+\alpha}d)$. The runtime is thus as stated. \square

Approximate r -nets in ℓ_1 and ℓ_2 Spaces

In this subsection, we reduce the problem of computing approximate r -nets from Euclidean to Hamming space. Then, we apply Theorem 4 to compute approximate r -nets in ℓ_1 and ℓ_2 spaces.

We distinguish between ℓ_1 and ℓ_2 metrics. Specifically, we first show how to map the dataset from \mathbb{R}^d space with ℓ_1 metric to Hamming space. Then, we present a reduction from ℓ_2 to ℓ_1 space. Note that the error in the original space is multiplicative, while in Hamming space additive. Although the proofs of both Theorem 5 and 6 use the same mappings as in (Alman, Chan, and Williams 2016), the problem of computing r -nets is different and more general than finding the closest pair, thus we cannot directly cite their results.

ℓ_1 case To reduce the problem of computing approximate r -nets from the ℓ_1 metric space to the Hamming space we use Locality Sensitive Hashing (LSH), formally defined below.

Definition 3. *Let $r, c \in \mathbb{R}$ and $p_1, p_2 \in [0, 1]$ where $p_1 > p_2$. A distribution \mathcal{D} of hash functions is called (r, cr, p_1, p_2) -sensitive, if, for a metric space V under norm $\|\cdot\|$, a hash function h randomly drawn from \mathcal{D} satisfies the following conditions for any points $x, y \in V$:*

1. $\|x - y\| \leq r \Rightarrow \Pr[h(x) = h(y)] \geq p_1$
2. $\|x - y\| \geq cr \Rightarrow \Pr[h(x) = h(y)] \leq p_2$

We call hashing methods that exhibit these properties locality sensitive hash functions (LSH).

Now, we show how to compute approximate r -nets in space under the ℓ_1 norm, by employing a specific instance of LSH functions.

Theorem 5. For a set of input points $X \subset \mathbb{R}^d$, some radius $r \in \mathbb{R}$ and some error $\epsilon \gg \frac{\log^6(\log n)}{\log^3 n}$, with high probability, we can construct a $(1 + \epsilon)$ -approximate r -net under ℓ_1 norm $\|\cdot\|$ in time $\tilde{O}(dn + n^{2-\alpha})$ where $\alpha = \Omega(\epsilon^{\frac{1}{3}} / \log(\frac{1}{\epsilon}))$.

Proof. The following inequalities, are the same as the ones derived in (Alman, Chan, and Williams 2016) for their algorithm that finds all nearest/furthest neighbors of a set. First apply a variant of locality sensitive hashing, to map points from ℓ_1 to Hamming space. For each point $p \in X$ and $i \in \{1, \dots, k\}$, $k = O(\epsilon^{-2} \log n)$, we define hash functions $h_i = \{h_{i1}(p), \dots, h_{id}(p)\}$, where $h_{ij} = \lfloor \frac{pa_{ij} + b_{ij}}{2r} \rfloor$, $a_{ij} \in \{1, \dots, d\}$ and $b_{ij} \in [0, 2r)$ sampled independently uniformly at random. For each value $h_i(p)$, define $f_i(p) = 0$ with probability $\frac{1}{2}$ or $f_i(p) = 1$ with probability $\frac{1}{2}$. We then define a new point in Hamming space as $f(p) = (f_1(p), \dots, f_k(p))$. We have that for any $p, q \in X$, $Pr[h_{ij}(p) \neq h_{ij}(q)] = \frac{1}{d} \sum_{a=1}^d \min\{\frac{|pa - qa|}{2r}, 1\}$ and $Pr[f_i(p) \neq f_i(q)] = Pr[f_i(p) \neq f_i(q) | h_i(p) = h_i(q)] Pr[h_i(p) = h_i(q)] + Pr[f_i(p) \neq f_i(q) | h_i(p) \neq h_i(q)] Pr[h_i(p) \neq h_i(q)] = 0 + \frac{1}{2} Pr[h_i(p) \neq h_i(q)] = \frac{1}{2} Pr[\bigvee_{j=1}^d h_{ij}(p) \neq h_{ij}(q)] = \frac{1}{2} (1 - \prod_{j=1}^d Pr[h_{ij}(p) = h_{ij}(q)]) = \frac{1}{2} (1 - \prod_{j=1}^d (1 - Pr[h_{ij}(p) \neq h_{ij}(q)]))$

Thus, the following properties hold for any $p, q \in X$:

1. If $\|p - q\| \leq r$ then $Pr[h_{ij}(p) \neq h_{ij}(q)] \leq \frac{1}{2d}$ and thus $Pr[f_i(p) \neq f_i(q)] \leq \frac{1}{2} (1 - (1 - \frac{1}{2d})^d) := \alpha_0$
2. If $\|p - q\| \geq (1 + \epsilon)r$ then $Pr[h_{ij}(p) \neq h_{ij}(q)] \geq \frac{1+\epsilon}{2d}$ and thus $Pr[f_i(p) \neq f_i(q)] \leq \frac{1}{2} (1 - (1 - \frac{1+\epsilon}{2d})^d) := \alpha_1$

Then it follows that $\alpha_1 - \alpha_0 = \Omega(\epsilon)$. By applying a Chernoff bound, we derive the following:

1. If $\|p - q\| \leq r$ then $\mathbb{E}[\|f(p) - f(q)\|] = \sum_{i=1}^k Pr[\|f_i(p) - f_i(q)\|] \leq k\alpha_0$ and thus $Pr[\|f(p) - f(q)\| \leq \alpha_0 k + O(\sqrt{k \log n})] := A_0 \geq 1 - O(\frac{1}{n})$
2. If $\|p - q\| \geq (1 + \epsilon)r$ then $\mathbb{E}[\|f(p) - f(q)\|] = \sum_{i=1}^k Pr[\|f_i(p) - f_i(q)\|] \geq k\alpha_1$ and thus $Pr[\|f(p) - f(q)\| \geq \alpha_1 k - O(\sqrt{k \log n})] := A_1 \geq 1 - O(\frac{1}{n})$

As we know that $\alpha_1 - \alpha_0 = \Omega(\epsilon)$ it is easy to see that $A_1 - A_0 = k(\alpha_1 - \alpha_0) - O(\sqrt{k \log n}) = \Omega(k\epsilon)$. For the new set of points $X' := f(X)$, we construct an approximate r -net with additive error $\Omega(\epsilon)$, which yields the center points of an approximate r -net of the original points with multiplicative error $(1 + \epsilon)$.

We hence apply Theorem 4 on inputs $X = X'$, $d = k$, $\epsilon = \Omega(\epsilon)$ and $r = A_0$. This gives us the centers C of an approximate r -net for X' in time $\tilde{O}(n^{2-\alpha} + n^{1.7+\alpha})$ where $\alpha = \Omega(\epsilon^{\frac{1}{3}} / \log(\frac{1}{\epsilon}))$. The points that get mapped to the net points in C are then the centers of a $(1 + \epsilon)$ -approximate r -net of the points in X under ℓ_1 metrics with high probability. Applying this version of locality sensitive hashing to

X' takes $O(dkn) = \tilde{O}(dn)$ time, which leads to the runtime as stated. \square

ℓ_2 case Firstly, we reduce the dimension of the dataset using the Fast Johnson Lindenstrauss Transform (Johnson and Schechtman 1982; Johnson and Lindenstrauss 1984). Specifically, we use a variant that allows us to map ℓ_2 points to ℓ_1 points, while preserving a slightly perturbed all pair distance under the respective norm, as for example seen in (Matoušek 2008). Thus, we can construct approximate r -nets in the general Euclidean space, as formally stated below.

Theorem 6. For set of input points $X \subset \mathbb{R}^d$, some radius $r \in \mathbb{R}$, some error $\epsilon \gg \frac{\log^6(\log n)}{\log^3 n}$, with high probability, we can construct a $(1 + \epsilon)$ -approximate r -net under ℓ_2 norm $\|\cdot\|$ in time $\tilde{O}(dn^{1.7+\alpha} + n^{2-\alpha})$ where $\alpha = \Omega(\epsilon^{\frac{1}{3}} / \log(\frac{1}{\epsilon}))$.

Applications

In the following section, we present applications for the algorithms we presented in the previous section. To that end, we exhibit an improvement on a framework called Net & Prune. Net & Prune was invented by (Har-Peled and Raichel 2015) for low dimensional applications. An extended version of the framework, that is efficient in higher dimensional datasets, was later presented by (Avarikioti et al. 2017). In what follows, we apply the approximate r -net algorithm to immediately improve the high dimensional framework. We then present various applications, that depend on approximate r -nets and the framework.

Net & Prune Framework

Net & Prune mainly consists of two algorithms, ApprxNet and DelFar, which are alternatively called by the framework, and a data structure that is specific to the problem we want to solve. When supplied with these, the framework returns an interval with constant spread, which is guaranteed to contain the optimal solution to the objective of the desired problem. To improve the framework, we first improve these two algorithms. ApprxNet computes an approximate r -net for a given point set and DelFar deletes points the isolated points, i.e. the points that do not contain any other point in a ball of radius r around them.

As an improvement to ApprxNet, we refer to Theorem 5 and Theorem 6. We now present an algorithm, that yields an improved version of DelFar:

Theorem 7. For a set of points X , some error $\epsilon \gg \frac{\log^6(\log n)}{\log^3 n}$, a radius $r \in \mathbb{R}^d$ and the norm $\|\cdot\|$, that denotes the ℓ_1 or ℓ_2 norm, we can construct an algorithm DelFar that outputs, with high probability, a set F , where the following holds:

1. If for any point $p \in X$ it holds that $\forall q \in X, q \neq p, \|p - q\| > (1 + \epsilon)r$ then $p \notin F$
2. If for any point $p \in X$ it holds that $\exists q \in X, q \neq p, \|p - q\| \leq r$ then $p \in F$

We do this in time $\tilde{O}(dn + n^{2-\alpha})$, where $\alpha = \Omega(\frac{\epsilon^{\frac{1}{3}}}{\log(1/\epsilon)})$.

Proof. We prove the Theorem for the ℓ_1 metric. For an ℓ_2 instance we can simply apply the mapping of Theorem 6 and the proof holds. Initially, we map the points to Hamming space, applying the techniques described in Theorem 5. During the brute force part of the algorithm we do the following: we delete each point that is covered by a center and then we add both the point and the center to set F . We do not add centers to F that do not cover any other points. Later, when traversing the distance matrix, we check each entry that indicates if the partition contains a close point. We calculate the distances between the current point and all points of the partition. We add in set F , and then delete, the points that are actually close. We ignore points, where every entry in its column indicate no close points. In the end, we return the set F . The running time of the algorithm is the same as in Theorem 6, since deleting a point after adding it to set F takes constant time. \square

The Net & Prune framework allows us to solve various so called nice distance problems. As presented by (Har-Peled and Raichel 2015), the problems solved in the subsections to come, are all proven to be of such kind. One of the properties of such problems is, that there needs to exist a so called $(1 + \epsilon)$ -decider for that problem. In the following, we denote a formal definition of such deciders.

Definition 4 ((Avarikioti et al. 2017)). *Given a function $f : X \rightarrow \mathbb{R}$, we call a decider procedure a a $(1 + \epsilon)$ -decider for f , if for any $x \in X$ and $r > 0$, $\text{decider}_f(r, X)$ returns one of the following: (i) $f(x) \in [\beta, (1 + \epsilon)\beta]$ for some real β , (ii) $f(x) < r$, or (iii) $f(x) > r$.*

Even though (Har-Peled and Raichel 2015) presented a decider for each of the problems that follow, the extended framework by (Avarikioti et al. 2017) requires deciders to be efficient, as otherwise the frameworks runtime does not hold. This is a good opportunity to apply Theorem 5 and Theorem 6 from the previous section. In the following sections, we employ the theorem below to find constant spread intervals. These contain the solutions to nice distance problems. We then apply deciders to approximate the solution of the problem.

Theorem 8 ((Avarikioti et al. 2017)). *For $c \geq 64$, the Net & Prune algorithm computes in $O(dn^{1.999999})$ time a constant spread interval containing the optimal value $f(X)$, with probability $1 - o(1)$.*

k th-Smallest Nearest Neighbor Distance

When having a set of points in high dimensional space, we may be interested in finding the k -smallest nearest neighbor distance. This means, when looking at the set of distances to the nearest neighbor of each point, finding the k th-smallest of these. Computing this with a naive algorithm takes $O(dn^2)$, which is not suitable in high dimensional space. Alternatively, we are able to build a $(1 + \epsilon)$ -decider and then apply the Net & Prune framework to solve the problem. This has previously been done by (Avarikioti et al. 2017). Theorem 5 and Theorem 6 yield immediate improvement on the runtime of the decider, as it is built with help of DelFar. We thus omit the proof of the following

Theorem here. The proof can be found in the supplementary material.

Theorem 9. *For a set of points X , $\epsilon \gg \frac{4 \log^6(\log n)}{\log^3 n}$ and the norm $\|\cdot\|$, that denotes the ℓ_1 or ℓ_2 norm, with high probability, we can find the $(1 + \epsilon)$ -approximate k -smallest nearest neighbor distance of X in time $\tilde{O}(dn + n^{2-\alpha})$, where $\alpha = \Omega(\frac{\epsilon^{\frac{1}{3}}}{\log(1/\epsilon)})$.*

Min-Max Clustering

To understand the following problem, we first define Upward Closed Set Systems and Sketchable Families, as introduced in (Har-Peled and Raichel 2015).

Definition 5 (Upward Closed Set System & Sketchable Families (Har-Peled and Raichel 2015)). *Let P be a finite ground set of elements, and let \mathcal{F} be a family of subsets of P . Then (P, \mathcal{F}) is an upward closed set system if for any $X \in \mathcal{F}$ and any $Y \subset P$, such that $X \subset Y$, we have that $Y \in \mathcal{F}$. Such a set system is a sketchable family, if for any set $S \subset P$ there exists a constant size sketch $sk(S)$ such that the following hold.*

1. *For any $S, T \subset P$ that are disjoint, $sk(S \cup T)$ can be computed from $sk(S)$ and $sk(T)$ in $O(1)$ time. We assume the sketch of a singleton can be computed in $O(1)$ time, and as such the sketch of a set $S \subset P$ can be computed in $O(|S|)$.*
2. *There is a membership oracle for the set system based on the sketch. That is, there is a procedure orac such that given the sketch of a subset $sk(S)$, orac returns whether $S \in \mathcal{F}$ or not, in $O(1)$ time.*

Min-Max Clustering is a method of clustering sets of the Upward Closed Set Systems within Sketchable Families under some cost function. The following is a formal definition of Min-Max clustering, as provided by (Har-Peled and Raichel 2015).

Definition 6 (Min-Max Clustering (Har-Peled and Raichel 2015)). *We are given a sketchable family (P, \mathcal{F}) , and a cost function $g : 2^P \rightarrow \mathbb{R}^+$. We are interested in finding disjoint sets $S_1, \dots, S_m \in \mathcal{F}$, such that (i) $\bigcup_{i=1}^m S_i = P$, and (ii) $\max_i g(S_i)$ is minimized. We will refer to the partition realizing the minimum as the optimal clustering of P .*

We later resort to the following Lemma when building a $(1 + \epsilon)$ -decider for a concrete instance of Min-Max Clustering.

Lemma 2. *Given a set of n points $X \subset \mathbb{R}^d$, a radius $r \in \mathbb{R}$, some error parameter $\epsilon \gg \frac{\log^6(\log n)}{\log^3 n}$, the norm $\|\cdot\|$, that denotes the ℓ_1 or ℓ_2 norm, and a set $C \subset X$ s.t. $\forall x, y \in C, \|x - y\| \geq 2r(1 + \epsilon)$, with high probability, we can return sets P_i , such that $\forall c_i \in C, \forall x \in P_i, \|c_i - x\| \leq (1 + \epsilon)r$ and $\forall x \in X \cap B_r(c_i)$, where $B_r(c_i) = \{x : x \in \mathbb{R}^d, \|x - c_i\| \leq r\}$ we have that $x \in P_i$ in time $\tilde{O}(dn + n^{2-\alpha})$, where $\alpha = \Omega(\frac{\epsilon^{\frac{1}{3}}}{\log(1/\epsilon)})$.*

Proof. We reduce the problem to Hamming space with error ϵ and radius r , applying the same techniques as in Theorem

5 for ℓ_1 points or Theorem 6 for points in ℓ_2 . After this reduction, we get a set of new points X' and a new radius r' . We apply brute force on X' to get part of the solution. We randomly choose a point of $c_i \in C$ and then iterate over every point in $x \in X'$. We check if $\|x - c_i\| \leq r' + \epsilon k$, for $k = (\epsilon^{-2} \log n)$ the dimension in Hamming space. For every point where this holds, we move the original point into the set P_i and then delete x from X' . We do this \sqrt{n} times which takes $\tilde{O}(n^{1.5})$ time in total. Without loss of generality, we now assume that $|C| > \sqrt{n}$, as otherwise we would be done at this point. With a similar argument as in Theorem 1, we argue that, after using brute force, with probability at least $1 - n^{-0.2}$, $|\{(c, x) | c \in C, x \in X', \|x - c\| \leq r' + \epsilon k\}| \leq n^{1.7}$. As in Theorem 4, we then build the distance matrix W of the remaining points in X' . We iterate over every column corresponding to remaining center points c_j . For every entry $W_{i,j} > 2|S_i|$, we add original version of every point $x \in S_i$ such that $\|x - c_j\| \leq r' + k\epsilon$ to P_j . This takes time $\tilde{O}(n^{2-\alpha} + n^{1.7})$. It then holds that $\forall c_i \in C, \forall x \in P_i, \|c_i - x\| \leq (1 + \epsilon)r$, as we only added points to P_i 's, where this property holds. It also holds that $\forall x \in X \cap B_r(c_i)$, as every point is only within the ball of one single center, because of the constraint on C . As we only do brute force and then build a distance matrix which we iterate through in a similar fashion as in Theorem 4, the runtime is as stated. \square

The proof of the following Theorem describes how to utilize the above Lemma to build a decider. The framework then allows us to solve a concrete instance of Min-Max Clustering. A similar decider was built by (Har-Peled and Raichel 2015), to solve the same problem in low dimensional space.

Theorem 10. *Let $P \subset \mathbb{R}^d$, let (P, \mathcal{F}) be a sketchable family and let $\|\cdot\|$ be the norm, that denotes the ℓ_1 or ℓ_2 norm. For a set $W \in \mathcal{F}$, let $r_{\min}(W)$ be the smallest radius, such that a ball centered at a point of W encloses the whole set. We can then, for $\epsilon \gg \frac{4 \log^6(\log n)}{\log^3 n}$, $(4 + \epsilon)$ -approximate the min-max clustering of P with $r_{\min}(W)$ as the cost function, with high probability, in time $\tilde{O}(dn + n^{2-\alpha})$, where $\alpha = \Omega(\frac{\epsilon^{\frac{1}{3}}}{\log(1/\epsilon)})$.*

Specifically, one can cover P by a set of balls and assign each point of P to a ball containing that point, such that the set of assigned point of each ball is in \mathcal{F} and the maximum radius of these balls is a $(4 + \epsilon)$ -approximate of the minimum of the maximal radius used by any such cover.

Proof. First notice that, when building a $(1 + \epsilon)$ -approximate $(4r_{\text{opt}}(1 + \epsilon))$ -net, where r_{opt} is the radius of the optimal clustering \mathcal{P}_{opt} of P , the following properties hold. Let $W_i \in \mathcal{P}_{\text{opt}}$ be the cluster that contains center c_i of the r net. It then holds that $\text{diam}(W_i) \leq 2r_{\text{opt}}$. Also any two center points of the net have distance at least $(4r_{\text{opt}}(1 + \epsilon))$ from each other, thus there are no $i \neq j$ such that $W_i = W_j$. Now define C_i as the set of points that are contained in a ball of radius $2r_{\text{opt}}$ around center c_i , hence $C_i = P \cap B_{2r_{\text{opt}}}(c_i)$. It then holds that $W_i \subset C_i$ and since $W_i \in \mathcal{P}_{\text{opt}}$, we know that $W_i \in \mathcal{F}$. Thus $C_i \in \mathcal{F}$ by definition of upward closed set systems.

This observation allows us to build a decider for $f(P, \mathcal{F})$, which is the function returning the optimal solution to the objective of the clustering. First, we build a $(1 + \frac{\epsilon}{4})$ -approximate $(4r(1 + \frac{\epsilon}{4}))$ -net. We then apply Lemma 2 on inputs $X = P, r = 2r, \epsilon = \frac{\epsilon}{4}$ and $C = C$, where C is the set of center points of the net. It is easy to see, that the needed property on C is met, as it contains the center points of a $(4r(1 + \frac{\epsilon}{4}))$ -net. The sets P_i , that get returned by Lemma 2, are then supersets of C_i , if $r \geq r_{\text{opt}}$. From the definition of sketchable families we know that, for every P_i , we are able to decide if $P_i \in \mathcal{F}$ in $O(n)$. Assume now that there exists a P_i which is not in \mathcal{F} . P_i is thus not a superset of C_i , and we return $r < r_{\text{opt}}$. Otherwise, we know that $\forall i, C_i \subset P_i$ and thus $r \geq r_{\text{opt}}$. Now its left to decide if r_{opt} is within some constant spread interval. To that end, we repeat the process above, but for a slightly smaller net, say a $(1 + \frac{\epsilon}{4})$ -approximate $4r$ -net. If all of the P_i 's for this new net are in \mathcal{F} , we know that the original r was too big and we return $f(P, \mathcal{F}) < r$. Otherwise, because we applied Lemma 2 to radius $\frac{2r}{(1 + \frac{\epsilon}{4})}$ and found that balls of that radius centered at c_i are not in \mathcal{F} , we know that the optimal value is at least $\frac{r}{(1 + \frac{\epsilon}{4})}$, due to our observation about the diameter of the clusters in the beginning. We also know that r_{opt} can be as big as $4(1 + \frac{\epsilon}{4})^2 r$ as we are able to cover the whole space with balls of such radius and subsets of these are in \mathcal{F} . Therefore, we return the interval $[\frac{r}{1 + \frac{\epsilon}{4}}, 4(1 + \frac{\epsilon}{4})^3 \frac{r}{1 + \frac{\epsilon}{4}}]$. Plugging this into the framework thus provides us with a constant spread interval, which contains the solution. By searching the interval the same way as in Theorem 9, we end up with an interval $[\frac{r}{1 + \frac{\epsilon}{4}}, 4(1 + \frac{\epsilon}{4})^3 \frac{r}{1 + \frac{\epsilon}{4}}]$. We return $\frac{r}{1 + \frac{\epsilon}{4}}$, which is a $(4 + \epsilon)$ -approximate solution since the real solution may be up to a $4(1 + \frac{\epsilon}{4})^3$ -factor off and $4(1 + \frac{\epsilon}{4})^3 = 4((\frac{\epsilon}{4})^3 + 3(\frac{\epsilon}{4})^2 + 3\frac{\epsilon}{4} + 1) \leq (4 + \epsilon)$. In the worst case, the decider builds an approximate r -net twice and also calls Lemma 2 twice. Applying the framework with that decider and searching the returned interval thus results in $\tilde{O}(dn + n^{2-\alpha})$. \square

k -center

The k -center clustering is tightly coupled to the problem of building r -nets. For a set of high dimensional points, we want to find k clusters, that minimize the maximum diameter of any of these. For any $\epsilon > 0$, computing a $(2 - \epsilon)$ approximate k -center clustering in polynomial time has been shown to be impossible except $P = NP$ (Hsu and Nemhauser 1979). We thus focus on computing $(2 + \epsilon)$ -approximates of the optimal solution. In the following we present two approaches to this. First, we build a decider, such that we are able to employ the framework, which provides us with a $(4 + \epsilon)$ -approximate k -center clustering. We then exhibit a different approach to the problem. Instead of relying on the framework, we derive an algorithm that computes approximate greedy permutations. We then present a way of reducing the computation of a $(2 + \epsilon)$ -approximate k -center clustering to building approximate greedy permutations. The drawback of this approach is, that the runtime has a logarithmic dependency on the spread of the data.

$(4 + \epsilon)$ **approximate k -center** As in previous subsections, we design a decider which then gets called by the framework. The construction is similar to (Har-Peled and Raichel 2015), where they construct a decider to $(4 + \epsilon)$ -approximate k -center clustering in lower dimensions.

We first proof the following Lemma, which is going to be useful later.

Lemma 3. *There are the following relations between a set C , which contains the net points of a $(1 + \epsilon)$ -approximate r -net on a set of points X , and the function $f(X, k)$, which returns the optimal clustering radius for the k -center problem on the set X .*

1. If $|C| \leq k$ then $f(X) < (1 + 2\epsilon)r$
2. If $|C| > k$ then $r \leq 2f(X)$

Theorem 11. *For a set of n points $X \in \mathbb{R}^d$, some integer k , $n \geq k > 0$, some error parameter $\epsilon \gg \frac{32 \log^6(\log n)}{\log^3 n}$ and the norm $\|\cdot\|$, that denotes the ℓ_1 or ℓ_2 norm, with high probability, we return a $(4 + \epsilon)$ -approximate k -center clustering in time $\tilde{O}(dn + n^{2-\alpha})$, where $\alpha = \Omega(\frac{\epsilon^{\frac{1}{3}}}{\log(1/\epsilon)})$.*

Proof. In the following we present the decider that we plug into the framework. First we create a $(1 + \frac{\epsilon}{32})$ -approximate $\frac{r}{1 + \frac{\epsilon}{16}}$ -net and check if we get k or less center points. If we do, then due to Lemma 3 we can safely return $f(X, k) < r$. If we do not, we create a $(1 + \frac{\epsilon}{32})$ -approximate $(2(1 + \frac{\epsilon}{16})r)$ -net and check if we have at most k centers in this net. In that case, due to Lemma 3 we know that $\frac{r}{2(1 + \frac{\epsilon}{16})} \leq f(X, k) < 2(1 + \frac{\epsilon}{16})^2 r$ and we return this interval. Otherwise, we have more than k -centers. Thus we know from Lemma 3 that $r(1 + \frac{\epsilon}{16}) \leq f(X, k)$ and we return $f(X, k) > r$. We therefore satisfy the properties of a $(1 + \epsilon)$ -decider and apply it to the framework to compute a constant spread interval containing the exact solution. As in the previous subsections, we slice the interval and do binary search using the decider. If we find an interval $\frac{r}{2(1 + \frac{\epsilon}{16})} \leq f(X, k) < 2(1 + \frac{\epsilon}{16})^2 r$, we return $2(1 + \frac{\epsilon}{16})^2 r$ which is a $(4 + \epsilon)$ approximation, as it might miss the real solution up to a factor of $4(1 + \frac{\epsilon}{16})^3 = 4 + \frac{3\epsilon}{4} + \frac{3\epsilon^2}{64} + \frac{\epsilon^3}{1024} \leq 4 + \epsilon$. It is easy to see that the decider runs in time $\tilde{O}(dn + n^{2-\alpha})$ and as in the previous subsection, the search takes $O(1/\epsilon^2)$ iterations. Therefore, the runtime is as stated. \square

$(2 + \epsilon)$ **approximate k -center with dependency on the spread** Another way to approach the approximate k -center clustering, is given by (Gonzalez 1985). There they construct a 2-approximate k -center clustering by using greedy permutations. A greedy permutation of a point set is an ordering, such that the i -th point is the furthest from all previous points in the permutation. In (Eppstein, Har-Peled, and Sidiropoulos 2015) they describe a way of constructing an approximate greedy permutation by building approximate r -nets. In the following, we present a way to improve this construction by applying the approximate r -net algorithm from the previous section. We then present how to exploit approximate greedy permutations to create $(2 + \epsilon)$ -approximate k -center clusterings. Unfortunately, building

the greedy permutation has a logarithmic runtime dependency on the spread, which is the ratio of the biggest to the smallest distance within the point set. Therefore, the algorithm is only useful for data, where the spread is in $poly(n)$.

Approximate greedy permutation A greedy permutation is an ordered set Π of the input points, such that the point π_i is the furthest point in V from the set $\{\pi_j\}_{j=1}^{i-1}$. The following is a formal definition of approximate greedy permutations, as described in (Eppstein, Har-Peled, and Sidiropoulos 2015).

Definition 7. *A Permutation Π is a $(1 + \epsilon)$ -greedy permutation on n points on metric space (V, d) , if there exists a sequence $r_1 \geq r_2 \geq \dots \geq r_n$ s.t.*

1. *The maximum distance of a point in V from $\{\pi_j\}_{j=1}^i$ is in the range $[r_i, (1 + \epsilon)r_i]$*
2. *The distance between any two points $u, v \in \{\pi_j\}_{j=1}^i$ is at least r_i*

We now proof the following Lemma, which helps us build the approximate greedy permutation later.

Lemma 4. *For a set of n points $X \subset \mathbb{R}^d$, the norm $\|\cdot\|$, that denotes the ℓ_1 or ℓ_2 norm, a set of points $C \subset X$, such that $\forall x, y \in C, \|x - y\| \geq r$, some error $\epsilon \gg \frac{\log^6(\log n)}{\log^3 n}$ and a radius $r \in \mathbb{R}$, with high probability, we can compute a set F , such that $\forall y \in F, c \in C, \|x - y\| \geq r$. We do this in time $\tilde{O}(dn + n^{2-\alpha})$, where $\alpha = \Omega(\frac{\epsilon^{\frac{1}{3}}}{\log(1/\epsilon)})$.*

Proof. We proceed similar as when building the approximate r -net. We first reduce the problem to Hamming space with additive error ϵ as in Theorem 5 for points in ℓ_1 or Theorem 6 for ℓ_2 points. We then arrive at the mapped point set X' and radius r' . Next, we apply a slightly modified version of Theorem 1. Instead of randomly choosing a point from X' , we randomly choose a point $c \in C$. We then iterate over every point in $x \in X'$ and check if $\|x - c\| \leq r' + \epsilon k$ for $k = (\epsilon^{-2} \log n)$, the dimension in Hamming space. For every point x where this holds, we delete x from X' as well as from the original set X . We do this \sqrt{n} times, which takes $\tilde{O}(n^{1.5})$ time in total. We now assume, without loss of generality, that $|C| > \sqrt{n}$, as otherwise we would be done at this point. By applying a similar argument as in Theorem 1, it holds that with probability at least $1 - n^{-0.2}$, $|\{(c, x) | c \in C, x \in X, \|x - c\| \leq r' + \epsilon k\}| \leq n^{1.7}$. As in Theorem 4, we now build the distance matrix W of the remaining points in X' . We then iterate over every column corresponding to the remaining center points c_j and, for every entry $W_{i,j} > 2|S_i|$, delete the original version of every point $x \in S_i$ such that $\|x - c\| \leq r' + \epsilon k$ from X . This takes time $\tilde{O}(n^{2-\alpha} + n^{1.7})$. The point set X then, by construction, only contains points which are further than r from any point in C . \square

The algorithm for building the greedy permutation is very similar to the algorithm presented in (Eppstein, Har-Peled, and Sidiropoulos 2015). We build sequences of approximate r -nets, starting with a radius that is an approximation of the

maximum distance within the point set. Then, we consecutively build approximate r -nets for smaller and smaller r , while keeping centers of previously computed approximate r -nets. Putting the center points into a list in the order they get computed results in an approximate greedy permutation. For a full proof outline refer to the supplementary material.

Theorem 12. For point set $X \subset \mathbb{R}^d$ with $|X| = n$, $\epsilon \gg \frac{4 \log^6(\log n)}{\log^3 n}$ and the norm $\|\cdot\|$, that denotes the ℓ_1 or ℓ_2 norm, with high probability, we can compute a $(1+\epsilon)$ -approximate greedy computation in time $\tilde{O}((dn + n^{2-\alpha}) \log \Phi)$, where $\alpha = \Omega\left(\frac{\epsilon^{\frac{1}{3}}}{\log(1/\epsilon)}\right)$ and $\Phi = \frac{\max_{x,y \in X, x \neq y} \|x-y\|}{\min_{x,y \in X, x \neq y} \|x-y\|}$ is the spread of data X .

k -center with approximate greedy permutation In (Gonzalez 1985), Gonzales proved that an exact greedy permutation leads to a 2 approximation of the solution for the k -center objective, if we take the first k elements out of the permutation and declare them as cluster centers. The maximum radius of a cluster, is then the minimum distance of the $k+1$ -th point in the permutation to the one of the first k points. With a $(1+\epsilon)$ -approximate greedy permutation we can then derive a $(2+\epsilon)$ -approximate solution for the k -center problem, since for every element π_i and every r_i as in the definition of the approximate greedy permutation, we know that, in metric space $(V, \|\cdot\|)$, it holds that $r_i \leq \max_{u \in V} \min_{j \in \{1, \dots, i\}} \|\pi_j - u\| \leq (1+\epsilon)r_i$. Thus the radius used, if we take the first k elements of the approximate greedy permutation as cluster centers, is at most a $1+\epsilon$ factor larger than the radius we would use by taking the first k elements of the exact greedy permutation, which in turn is at most a 2 factor larger than the exact k -center clustering radius.

Conclusion & Future Work

Our work has lead to interesting improvement on the construction time of approximate r -nets and applications thereof. We wish to highlight the following open problems. First, can we find a lower bound to the construction time of r -nets? This would also tell us more about the limits of the Net & Prune framework. Second, can we get rid of the spread dependency on the approximate greedy permutation algorithm, as this would make the algorithm suitable for much more general data sets? Our work seems to suggest that this is tightly coupled to finding all nearest neighbors.

Acknowledgments

We thank Ioannis Psarros for the helpful discussions. Yuyi Wang is partially supported by X-Order Lab.

References

Alman, J.; Chan, T. M.; and Williams, R. 2016. Polynomial representations of threshold functions and algorithmic applications. In *2016 IEEE 57th Annual Symposium on Foundations of Computer Science (FOCS)*, 467–476. IEEE.

Avarikioti, G.; Emiris, I. Z.; Kavouras, L.; and Psarros, I. 2017. High-dimensional approximate r -nets. In *Proceedings of the Twenty-Eighth Annual ACM-SIAM Symposium on Discrete Algorithms*, 16–30. SIAM.

Coppersmith, D. 1982. Rapid multiplication of rectangular matrices. *SIAM J. Comput.* 11:467–471.

Dasgupta, S. 2002. Performance guarantees for hierarchical clustering. In Kivinen, J., and Sloan, R. H., eds., *Computational Learning Theory*, 351–363. Berlin, Heidelberg: Springer Berlin Heidelberg.

Defays, D. 1977. An efficient algorithm for a complete link method. *The Computer Journal* 20(4):364–366.

Eppstein, D.; Har-Peled, S.; and Sidiropoulos, A. 2015. Approximate greedy clustering and distance selection for graph metrics. *CoRR* abs/1507.01555.

Estivill-Castro, V. 2002. Why so many clustering algorithms: a position paper. *ACM SIGKDD explorations newsletter* 4(1):65–75.

Fern, X. Z., and Brodley, C. E. 2003. Random projection for high dimensional data clustering: A cluster ensemble approach. In *Proceedings of the 20th international conference on machine learning (ICML-03)*, 186–193.

Gonzalez, T. F. 1985. Clustering to minimize the maximum intercluster distance. *Theoretical Computer Science* 38:293–306.

Har-Peled, S., and Raichel, B. 2015. Net and prune: A linear time algorithm for euclidean distance problems. *Journal of the ACM (JACM)* 62(6):44.

Hsu, W.-L., and Nemhauser, G. L. 1979. Easy and hard bottleneck location problems. *Discrete Applied Mathematics* 1(3):209–215.

Johnson, W. B., and Lindenstrauss, J. 1984. Extensions of lipschitz mappings into a hilbert space. *Contemporary mathematics* 26(189-206):1.

Johnson, W. B., and Schechtman, G. 1982. Embedding l_p^m into l_1^n . *Acta Mathematica* 149(1):71–85.

Kriegel, H.-P.; Kröger, P.; Sander, J.; and Zimek, A. 2011. Density-based clustering. *Wiley Interdisciplinary Reviews: Data Mining and Knowledge Discovery* 1(3):231–240.

Lloyd, S. 1982. Least squares quantization in pcm. *IEEE transactions on information theory* 28(2):129–137.

Matoušek, J. 2008. On variants of the johnson-lindenstrauss lemma. *Random Struct. Algorithms* 33(2):142–156.

Sibson, R. 1973. Slink: an optimally efficient algorithm for the single-link cluster method. *The computer journal* 16(1):30–34.

Williams, R. 2014. New algorithms and lower bounds for circuits with linear threshold gates. In *Proceedings of the forty-sixth annual ACM symposium on Theory of computing*, 194–202. ACM.