

Acknowledgment

This research was supported by the National Library of Medicine grant 5R21LM011026-02.

References

- Almassi, G.; Schowalter, T.; Nicolosi, A.; Aggarwal, A.; Moritz, T.; Henderson, W.; Tarazi, R.; Shroyer, A.; Sethi, G.; Grover, F.; et al. 1997. Atrial fibrillation after cardiac surgery: a major morbid event? *Annals of surgery* 226(4):501.
- Aranki, S.; Shaw, D.; Adams, D.; Rizzo, R.; Couper, G.; VanderVliet, M.; Collins, J.; Cohn, L.; and Burstin, H. 1996. Predictors of atrial fibrillation after coronary artery surgery: current trends and impact on hospital resources. *Circulation* 94(3):390–397.
- Asher, C.; Miller, D.; Grimm, R.; Cosgrove 3rd, D.; Chung, M.; et al. 1998. Analysis of risk factors for development of atrial fibrillation early after cardiac valvular surgery. *The American journal of cardiology* 82(7):892.
- Buxton, A., and Josephson, M. 1981. The role of p wave duration as a predictor of postoperative atrial arrhythmias. *CHEST Journal* 80(1):68–73.
- Castells, F.; Igual, J.; Rieta, J.; Sanchez, C.; and Millet, J. 2003. Atrial fibrillation analysis based on ica including statistical and temporal source information. In *Acoustics, Speech, and Signal Processing, 2003. Proceedings. (ICASSP'03). 2003 IEEE International Conference on*, volume 5, V–93. IEEE.
- Furberg, C.; Psaty, B.; Manolio, T.; Gardin, J.; Smith, V.; and Rautaharju, P. 1994. Prevalence of atrial fibrillation in elderly subjects (the cardiovascular health study). *The American journal of cardiology* 74(3):236–241.
- Gottlieb, S.; Dudek, A.; Lowry, D.; Nolan, S.; and Guarnieri, T. 1999. Intravenous amiodarone for the prevention of atrial fibrillation after open heart surgery: the amiodarone reduction in coronary heart (arch) trial. *Journal of the American College of Cardiology* 34(2):343–347.
- Grier, J. M. 2008. Eheart: Introduction to ecg ekg. <http://www.ndsu.edu/pubweb/grier/eheart.html>.
- Guarnieri, T. 1999. Intravenous antiarrhythmic regimens with focus on amiodarone for prophylaxis of atrial fibrillation after open heart surgery. *The American journal of cardiology* 84(9):152–155.
- Hogue Jr, C.; Hyder, M.; et al. 2000. Atrial fibrillation after cardiac operation: risks, mechanisms, and treatment. *The Annals of thoracic surgery* 69(1):300.
- Lilly, L. 2010. *Pathophysiology of Heart Disease:: A Collaborative Project of Medical Students and Faculty*. Lippincott Williams & Wilkins.
- Maisel, W.; Rawn, J.; and Stevenson, W. 2001. Atrial fibrillation after cardiac surgery. *Transplantation* 151136:11.
- Mathew, J.; Parks, R.; Savino, J.; Friedman, A.; Koch, C.; Mangano, D.; and Browner, W. 1996. Atrial fibrillation following coronary artery bypass graft surgery. *JAMA: the journal of the American Medical Association* 276(4):300–306.
- Mathew, J.; Fontes, M.; Tudor, I.; Ramsay, J.; Duke, P.; Mazer, C.; Barash, P.; Hsu, P.; Mangano, D.; et al. 2004. A multicenter risk index for atrial fibrillation after cardiac surgery. *JAMA: the journal of the American Medical Association* 291(14):1720–1729.
- Mitchell, L.; Exner, D.; Wyse, D.; Connolly, C.; Prystai, G.; Bayes, A.; Kidd, W.; Kieser, T.; Burgess, J.; Ferland, A.; et al. 2005. Prophylactic oral amiodarone for the prevention of arrhythmias that begin early after revascularization, valve replacement, or repair. *JAMA: the journal of the American Medical Association* 294(24):3093–3100.
- Naït-Ali, A. 2009. *Advanced biosignal processing*. Springer.
- Ommen, S.; Odell, J.; and Stanton, M. 1997. Atrial arrhythmias after cardiothoracic surgery. *New England Journal of Medicine* 336(20):1429–1434.
- Pencina, M. J.; D’Agostino, R. B.; and Vasan, R. S. 2008. Evaluating the added predictive ability of a new marker: from area under the roc curve to reclassification and beyond. *Statistics in medicine* 27(2):157–172.
- Podgoreanu, M., and Mathew, J. 2005. Prophylaxis against postoperative atrial fibrillation. *JAMA: the journal of the American Medical Association* 294(24):3140–3142.
- Syed, Z.; Scirica, B. M.; Stultz, C. M.; and Gutttag, J. V. 2008. Risk-stratification following acute coronary syndromes using a novel electrocardiographic technique to measure variability in morphology. In *Computers in Cardiology, 2008*, 13–16. IEEE.
- Syed, Z.; Scirica, B. M.; Mohanavelu, S.; Sung, P.; Michelson, E. L.; Cannon, C. P.; Stone, P. H.; Stultz, C. M.; and Gutttag, J. V. 2009a. Relation of death within 90 days of non-st-elevation acute coronary syndromes to variability in electrocardiographic morphology. *The American journal of cardiology* 103(3):307–311.
- Syed, Z.; Sung, P.; Scirica, B. M.; Morrow, D. A.; Stultz, C. M.; and Gutttag, J. V. 2009b. Spectral energy of ecg morphologic differences to predict death. *Cardiovascular Engineering* 9(1):18–26.
- Syed, Z.; Stultz, C. M.; Scirica, B. M.; and Gutttag, J. V. 2011. Computationally generated cardiac biomarkers for risk stratification after acute coronary syndrome. *Science translational medicine* 3(102):102ra95.
- Weissman, N.; Katz, A.; and Zigel, Y. 2009. A new method for atrial electrical activity analysis from surface ecg signals using an energy ratio measure. In *Computers in Cardiology, 2009*, 573–576. IEEE.
- Zaman, A.; Archbold, R.; Helft, G.; Paul, E.; Curzen, N.; and Mills, P. 2000. Atrial fibrillation after coronary artery bypass surgery: a model for preoperative risk stratification. *Circulation* 101(12):1403–1408.