













## References

- Alzheimers Disease Neuroimaging Initiative (ADNI): <http://www.adni-info.org>.
- Basser, P., and Pierpaoli, C. 1996. Microstructural and physiological features of tissues elucidated by quantitative-diffusion-tensor mri. *Journal of Magnetic Resonance, Series B* 111(3):209–219.
- Benitez, A.; Fieremans, E.; Jensen, J. H.; Falangola, M. F.; Tabesh, A.; Ferris, S. H.; and Helpert, J. A. 2014. White matter tract integrity metrics reflect the vulnerability of late-myelinating tracts in Alzheimer’s disease. *NeuroImage: Clinical* 4:64–71.
- Bowley, M. P.; Cabral, H.; Rosene, D. L.; and Peters, A. 2010. Age changes in myelinated nerve fibers of the cingulate bundle and corpus callosum in the rhesus monkey. *Journal of Comparative Neurology* 518(15):3046–3064.
- Canu, E.; Agosta, F.; Spinelli, E. G.; Magnani, G.; Marcone, A.; Scola, E.; Falautano, M.; Comi, G.; Falini, A.; and Filippi, M. 2013. White matter microstructural damage in Alzheimer’s disease at different ages of onset. *Neurobiology of aging* 34(10):2331–2340.
- Coen, M. H.; Ansari, M. H.; and Fillmore, N. 2010. Comparing clusterings in space. In *ICML 2010: Proceedings of the 27th International Conference on Machine Learning*.
- Coen, M. H.; Ansari, M. H.; and Fillmore, N. 2011. Learning from spatial overlap. In *AAAI ’11: Proceedings of the 25th National Conference on Artificial intelligence*, 177–182. AAAI Press.
- Corder, E.; Saunders, A.; Strittmatter, W.; Schmechel, D.; Gaskell, P.; Small, G.; Roses, A.; Haines, J.; and Pericak-Vance, M. A. 1993. Gene dose of apolipoprotein E type 4 allele and the risk of Alzheimer’s disease in late onset families. *Science* 261(5123):921–923.
- Di Paola, M.; Di Iulio, F.; Cherubini, A.; Blundo, C.; Casini, A.; Sancesario, G.; Passafiume, D.; Caltagirone, C.; and Spalletta, G. 2010. When, where, and how the corpus callosum changes in MCI and AD. a multimodal MRI study. *Neurology* 74(14):1136–1142.
- Dowling, N. M.; Hermann, B.; La Rue, A.; and Sager, M. A. 2010. Latent structure and factorial invariance of a neuropsychological test battery for the study of preclinical Alzheimers disease. *Neuropsychology* 24(6):742.
- Dyrba, M.; Ewers, M.; Wegrzyn, M.; Kilimann, I.; Plant, C.; Oswald, A.; Kirste, T.; and et al., S. T. 2012. Combining DTI and MRI for the automated detection of Alzheimer’s disease using a large European multicenter dataset. In *Multimodal Brain Image Analysis*, volume 7509 of *Lecture Notes in Computer Science*. Nice, France: Springer Berlin / Heidelberg. in press.
- Friedman, J.; Hastie, T.; and Tibshirani, R. 2010. Regularization paths for generalized linear models via coordinate descent. *Journal of statistical software* 33(1):1.
- Grauman, K., and Darrell, T. 2007. The pyramid match kernel: Efficient learning with sets of features. *The Journal of Machine Learning Research* 8:725–760.
- Le Bihan, D.; Mangin, J.-F.; Poupon, C.; Clark, C. A.; Pappata, S.; Molko, N.; and Chabriat, H. 2001. Diffusion tensor imaging: Concepts and applications. *Journal of Magnetic Resonance Imaging* 13(4):534–546.
- Lövdén, M.; Bodammer, N. C.; Kühn, S.; Kaufmann, J.; Schütze, H.; Tempelmann, C.; Heinze, H.-J.; Düzel, E.; Schmiedek, F.; and Lindenberger, U. 2010. Experience-dependent plasticity of white-matter microstructure extends into old age. *Neuropsychologia* 48(13):3878–3883.
- Misra, C.; Fan, Y.; and Davatzikos, C. 2009. Baseline and longitudinal patterns of brain atrophy in MCI patients, and their use in prediction of short-term conversion to AD: results from ADNI. *Neuroimage* 44(4):1415.
- Oishi, K.; Zilles, K.; Amunts, K.; and et al., S. M. 2008. Human brain white matter atlas: Identification and assignment of common anatomical structures in superficial white matter. *NeuroImage* 43(3):447 – 457.
- Rahimi, A., and Recht, B. 2007. Random features for large-scale kernel machines. *Advances in Neural Information Processing Systems* 20:1177–1184.
- Raman, P.; Phillips, J. M.; and Venkatasubramanian, S. 2011. Spatially-aware comparison and consensus for clusterings. In *Proceedings of SIAM International Conference on Data Mining (SDM)*.
- Reitan, R. M., and Wolfson, D. 2009. The Halstead–Reitan Neuropsychological Test Battery for Adults Theoretical, Methodological, and Validational Bases. *Neuropsychological Assessment of Neuropsychiatric and Neuromedical Disorders* 1.
- Sager, M. A.; Hermann, B.; and La Rue, A. 2005. Middle-aged children of persons with Alzheimers disease: APOE genotypes and cognitive function in the Wisconsin Registry for Alzheimers Prevention. *Journal of geriatric psychiatry and neurology* 18(4):245–249.
- Scholz, J.; Klein, M. C.; Behrens, T. E.; and Johansen-Berg, H. 2009. Training induces changes in white-matter architecture. *Nature neuroscience* 12(11):1370–1371.
- Smith, S. M.; Zhang, Y.; Jenkinson, M.; Chen, J.; Matthews, P.; Federico, A.; De Stefano, N.; et al. 2002. Accurate, robust, and automated longitudinal and cross-sectional brain change analysis. *Neuroimage* 17(1):479–489.
- Smith, S. M.; Jenkinson, M.; Johansen-Berg, H.; Rueckert, D.; Nichols, T. E.; Mackay, C. E.; Watkins, K. E.; Ciccarelli, O.; Cader, M. Z.; Matthews, P. M.; and Behrens, T. E. 2006. Tract-based spatial statistics: Voxelwise analysis of multi-subject diffusion data. *NeuroImage* 31(4):1487 – 1505.
- Trenerry, M. R.; Crosson, B.; DeBoe, J.; and Leber, W. 1989. *Stroop Neuropsychological Screening Test Manual*. Psychological Assessment Resources.
- Ziegler, D. A.; Piguet, O.; Salat, D. H.; Prince, K.; Connally, E.; and Corkin, S. 2010. *Neurobiology of aging*, volume 31. Elsevier. chapter Cognition in healthy aging is related to regional white matter integrity, but not cortical thickness, 1912–1926.