

- mation for multivariate gaussian or binary data. *The Journal of Machine Learning Research* 9:485–516.
- Beck, A., and Teboulle, M. 2009. Fast gradient-based algorithms for constrained total variation image denoising and deblurring problems. *Image Processing, IEEE Transactions on* 18(11):2419–2434.
- Beck, A., and Tetrushvili, L. 2013. On the convergence of block coordinate descent type methods. *SIAM Journal on Optimization* 23(4):2037–2060.
- Becker, S., and Fadili, J. 2012. A quasi-newton proximal splitting method. In *Advances in Neural Information Processing Systems (NIPS)*, 2627–2635.
- Bien, J., and Tibshirani, R. J. 2011. Sparse estimation of a covariance matrix. *Biometrika* 98(4):807–820.
- Combettes, P. L., and Wajs, V. R. 2005. Signal recovery by proximal forward-backward splitting. *Multiscale Modeling & Simulation* 4(4):1168–1200.
- Dahl, J.; Vandenberghe, L.; and Roychowdhury, V. 2008. Covariance selection for nonchordal graphs via chordal embedding. *Optimization Methods & Software* 23(4):501–520.
- Daubechies, I.; Defrise, M.; and De Mol, C. 2004. An iterative thresholding algorithm for linear inverse problems with a sparsity constraint. *Communications on pure and applied mathematics* 57(11):1413–1457.
- DeMiguel, V.; Garlappi, L.; and Uppal, R. 2009. Optimal versus naive diversification: How inefficient is the 1/n portfolio strategy? *Review of Financial Studies* 22(5):1915–1953.
- Friedman, J.; Hastie, T.; and Tibshirani, R. 2008. Sparse inverse covariance estimation with the graphical lasso. *Biostatistics* 9(3):432–441.
- Hale, E. T.; Yin, W.; and Zhang, Y. 2008. Fixed-point continuation for ℓ_1 -minimization: Methodology and convergence. *SIAM Journal on Optimization* 19(3):1107–1130.
- Harmany, Z. T.; Marcia, R. F.; and Willett, R. M. 2012. This is spiral-tap: sparse poisson intensity reconstruction algorithmstheory and practice. *Image Processing, IEEE Transactions on* 21(3):1084–1096.
- Hero, A., and Rajaratnam, B. 2011. Large-scale correlation screening. *Journal of the American Statistical Association* 106(496):1540–1552.
- Hsieh, C.; Sustik, M.; Dhillon, I.; and Ravikumar, P. 2011. Sparse inverse covariance matrix estimation using quadratic approximation. *Advances in Neural Information Processing Systems (NIPS)* 24.
- Lee, J.; Sun, Y.; and Saunders, M. 2012. Proximal newton-type methods for convex optimization. In *Advances in Neural Information Processing Systems (NIPS)*, 836–844.
- Markowitz, H. 1952. Portfolio selection. *The journal of finance* 7(1):77–91. Wiley Library.
- Nesterov, Y., and Nemirovskii, A. S. 1994. *Interior-point polynomial algorithms in convex programming*, volume 13. SIAM.
- Nesterov, Y. 1983. A method of solving a convex programming problem with convergence rate $o(1/k^2)$. In *Soviet Mathematics Doklady*, volume 27, 372–376.
- Rothman, A. J. 2012. Positive definite estimators of large covariance matrices. *Biometrika* 99(3):733–740.
- Schäfer, J., and Strimmer, K. 2005. An empirical bayes approach to inferring large-scale gene association networks. *Bioinformatics* 21(6):754–764.
- Tran-Dinh, Q.; Kyrillidis, A.; and Cevher, V. 2013a. Composite self-concordant minimization. *arXiv preprint arXiv:1308.2867*.
- Tran-Dinh, Q.; Kyrillidis, A.; and Cevher, V. 2013b. An inexact proximal path-following algorithm for constrained convex minimization. *arXiv preprint arXiv:1311.1756*.
- Varoquaux, G.; Gramfort, A.; Poline, J.-B.; and Thirion, B. 2010. Brain covariance selection: better individual functional connectivity models using population prior. In *Advances in Neural Information Processing Systems (NIPS)*, volume 23, 2334–2342.
- Wang, H. 2012. Two new algorithms for solving covariance graphical lasso based on coordinate descent and ecm. *arXiv preprint arXiv:1205.4120*.
- Xue, L.; Ma, S.; and Zou, H. 2012. Positive definite ℓ_1 penalized estimation of large covariance matrices. *Journal of the American Statistical Association*.