















- projection. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 19(7): 711-720.
- Cai, D.; He, X.; Han, J.; and Zhang, H. J. 2006. Orthogonal laplacianfaces for face recognition. *IEEE Transactions on Image Processing*, 15(11): 3608-3614.
- Chen, Q. N.; and Sun, S. L. 2009. Hierarchical multi-view fisher discriminant analysis. *Neural Information Processing*, 289-298.
- Diethe, T.; Hardoon, D. R.; and Shawe-Taylor, J. 2010. Constructing nonlinear discriminants from multiple data view. *Machine Learning and Knowledge Discovery in Databases*, 328-343.
- Diethe, T.; Hardoon, D. R.; and Shawe-Taylor, J. 2008. Multiview fisher discriminant analysis. *NIPS workshop on learning from multiple sources*.
- Draper, B. A.; Yambor, W. S.; and Beveridge, J. R. 2002. Analyzing PCA-based face recognition algorithms: eigenvector selection and distance measures. *Empirical Evaluation Methods in Computer Vision*, 1-15.
- Fukunaga, K.; and Koontz, W. L. G. 1970. Application of the Karhunen-Loeve expansion to feature selection and ordering. *IEEE Transactions on Computers*, 19(4): 311-318.
- Gao, L.; Qi, L.; Chen, E. Q.; and Guan, L. 2012. Discriminative multiple canonical correlation analysis for multi-feature information fusion. *IEEE International Symposium on Multimedia*, 36-43.
- Grigorescu, S. E.; Petkov, N.; and Kruizinga, P. 2002. Comparison of texture features based on Gabor filters. *IEEE Transactions on Image Processing*, 11(10): 1160-1167.
- Guo, Y. H. 2013. Convex subspace representation learning from multi-view data. *AAAI Conference on Artificial Intelligence*, 387-393.
- Hardoon, D. R.; Szedmak, S.; and Shawe-Taylor, J. 2004. Canonical correlation analysis: An overview with application to learning methods. *Neural Computation*, 16(12): 2639-2664.
- Huang, G. B.; Mattar, M. A.; Lee, H.; and Learned-Miller, E. 2012. Learning to align from scratch. *Neural Information Processing Systems*, 773-781.
- Kan, M.; Shan, S. G.; Zhang, H. H.; Lao, S. H.; and Chen, X. L. 2012. Multi-view discriminant analysis. *European Conference on Computer Vision*: 808-821.
- Kim, T. K.; Kittler, J.; and Cipolla, R. 2007. Discriminative learning and recognition of image set classes using canonical correlations. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 29(6): 1005-1018.
- Kumar, A.; and Daume III, H. 2011a. A co-training approach for multi-view spectral clustering. *International Conference on Machine Learning*, 393-400.
- Kumar, A.; Rai, P.; and Daume III, H. 2011. Co-regularized multi-view spectral clustering. *Advances in Neural Information Processing System*, 1413-1421.
- Lai, P. L.; and Fyfe, C. 2000. Kernel and nonlinear canonical correlation analysis. *International Journal on Neural System*, 10(5): 365-377.
- Leurgans, S. E.; Moyeed, R. A.; and Silverman, B. W. 1993. Canonical correlation analysis when the data are curves. *Journal of the Royal Statistical Society, Series B (Methodological)*, 55(3): 725-740.
- Memisevic, R. 2012. On multi-view feature learning. *International Conference on Machine Learning*, 161-168.
- Murase, H.; and Nayar, S. K. 1995. Visual learning and recognition of 3-D objects from appearance. *International Journal of Computer Vision* 14(1): 5-24.
- Nielsen, A. A. 2002. Multiset canonical correlations analysis and multispectral, truly multitemporal remote sensing data. *IEEE Transactions on Image Processing*, 11(3): 293-305.
- Rupnik, J.; and Shawe-Taylor, J. 2010. Multi-View Canonical correlation analysis. *International Conference on Data Mining and Data Warehouses*, 1-4.
- Sharma, A.; Kumar, A.; Daume, H.; and Jacobs, D. W. 2012. Generalized multiview analysis: A discriminative latent space. *IEEE Conference on Computer Vision and Pattern Recognition*, 2160-2167.
- Su, Y.; Fu, Y.; Gao, X.; and Tian Q. 2012. Discriminant learning through multiple principal angles for visual recognition. *IEEE Transactions on Image Processing*, 21(3): 1381-1390.
- Sun, S. 2013. A survey of multi-view machine learning. *Neural Computing and Applications*, 23(7-8): 2031-2038.
- Sun, S. L.; and Chao, G. Q. 2013. Multi-view maximum entropy discrimination. *International Joint Conference Artificial Intelligence*, 1706-1712.
- Sun, T. K.; Chen, S. C.; Jin, Z.; and Yang J. Y. 2007. Kernelized discriminative canonical correlation analysis. *International Conference on Wavelet Analysis and Pattern Recognition*, 3: 1283-1287.
- Wang, D.; Li, T.; and Ogihara, M. 2012. Generating pictorial storylines via minimum-weight connected dominating set approximation in multi-view graphs. *AAAI Conference on Artificial Intelligence*, 683-689.
- Wang, H.; Nie, F.; and Huang, H. 2013. Multi-view clustering and feature learning via structured sparsity. *International Conference on Machine Learning*, 28: 352-360.
- Xu, C.; Tao, D. C.; and Xu, C. 2013. A survey on multi-view learning. *CoRR abs/1304.5634*.
- Yuan, Y. H.; Sun, Q. S.; Zhou, Q.; and Xia, D. S. 2010. A novel multiset integrated canonical correlation analysis framework and its application in feature fusion. *Pattern Recognition*, 44(5): 1031-1040.
- Yang, P.; and Gao, W. 2013. Multi-view discriminant transfer learning. *International Joint Conference Artificial Intelligence*, 1848-1854.