

References

- Balasubramanian, M., and Schwartz, E. L. 2002. The isomap algorithm and topological stability. *Science* 295(5552):7–7.
- Belkin, M., and Niyogi, P. 2001. Laplacian eigenmaps and spectral techniques for embedding and clustering. *Advances in neural information processing systems* 14:585–591.
- Bishop, C. M.; Svensén, M.; and Williams, C. K. 1998. Gtm: The generative topographic mapping. *Neural computation* 10(1):215–234.
- Brand, M. 2002. Charting a manifold. In *Advances in neural information processing systems*, 961–968.
- Coifman, R. R., and Lafon, S. 2006. Diffusion maps. *Appl. Comput. Harmon. Anal.* 21:5–30.
- Gruber, P., and Theis, F. J. 2006. Grassmann clustering. *Proc. EUSIPCO 2006*.
- Ham, J.; Lee, D.; and Saul, L. 2005. Semisupervised alignment of manifolds. In *Proceedings of the Annual Conference on Uncertainty in Artificial Intelligence, Z. Ghahramani and R. Cowell, Eds*, volume 10, 120–127.
- Hinton, G. E.; Dayan, P.; and Revow, M. 1997. Modeling the manifolds of images of handwritten digits. *Neural Networks, IEEE Transactions on* 8(1):65–74.
- Jebara, T.; Wang, J.; and Chang, S.-F. 2009. Graph construction and b-matching for semi-supervised learning. In *Proceedings of the 26th Annual International Conference on Machine Learning*, 441–448. ACM.
- Johns, J., and Mahadevan, S. 2007. Constructing basis functions from directed graphs for value function approximation. In *Proceedings of the 24th international conference on Machine learning*, 385–392. ACM.
- Jolliffe, I. 2002. *Principal component analysis*. Springer series in statistics. Springer-Verlag.
- Kambhatla, N., and Leen, T. K. 1997. Dimension reduction by local principal component analysis. *Neural Computation* 9(7):1493–1516.
- Kégl, B. 2002. Intrinsic dimension estimation using packing numbers. In *Advances in neural information processing systems*, 681–688.
- Kohonen, T. 1990. The self-organizing map. *Proceedings of the IEEE* 78(9):1464–1480.
- Kruskal, J. B. 1956. On the shortest spanning subtree of a graph and the traveling salesman problem. *Proceedings of the American Mathematical society* 7(1):48–50.
- LeCun, Y., and Cortes, C. 1998. The mnist database of handwritten digits.
- Levina, E., and Bickel, P. J. 2004. Maximum likelihood estimation of intrinsic dimension. In *Advances in neural information processing systems*, 777–784.
- Lin, T., and Zha, H. 2008. Riemannian manifold learning. *Pattern Analysis and Machine Intelligence, IEEE Transactions on* 30(5):796–809.
- Martinetz, T., and Schulten, K. 1994. Topology representing networks. *Neural Networks* 7(3):507–522.
- Oliphant, T. E. 2007. Python for scientific computing. *Computing in Science & Engineering* 9(3):10–20.
- Pedregosa, F.; Varoquaux, G.; Gramfort, A.; Michel, V.; Thirion, B.; Grisel, O.; Blondel, M.; Prettenhofer, P.; Weiss, R.; Dubourg, V.; et al. 2011. Scikit-learn: Machine learning in python. *The Journal of Machine Learning Research* 12:2825–2830.
- Rohban, M. H., and Rabiee, H. R. 2012. Supervised neighborhood graph construction for semi-supervised classification. *Pattern Recognition* 45(4):1363–1372.
- Roweis, S., and Saul, L. 2000. Nonlinear dimensionality reduction by locally linear embedding. *Science* 290(2323–232).
- Shi, J., and Malik, J. 2000. Normalized cuts and image segmentation. *Pattern Analysis and Machine Intelligence, IEEE Transactions on* 22(8):888–905.
- Tarjan, R. 1972. Depth-first search and linear graph algorithms. *SIAM journal on computing* 1(2):146–160.
- Tenenbaum, J. B.; Silva, V. D.; and Langford, J. C. 2000. A global geometric framework for nonlinear dimensionality reduction. *Science*.
- Tenenbaum, J. B. 1998. Mapping a manifold of perceptual observations. *Advances in neural information processing systems* 682–688.
- Tipping, M. E., and Bishop, C. M. 1999. Mixtures of probabilistic principal component analyzers. *Neural computation* 11(2):443–482.
- Wang, C., and Mahadevan, S. 2009. A general framework for manifold alignment. In *AAAI Fall Symposium on Manifold Learning and its Applications*, 53–58.
- Yale, P. B. 1968. *Geometry and symmetry*. Courier Dover Publications.
- Yang, B., and Chen, S. 2010. Sample-dependent graph construction with application to dimensionality reduction. *Neurocomputing* 74(1):301–314.
- Zhang, Z., and Zha, H. 2002. Principal manifolds and nonlinear dimension reduction via local tangent space alignment. *arXiv preprint cs/0212008*.
- Zhang, L.; Chen, S.; and Qiao, L. 2012. Graph optimization for dimensionality reduction with sparsity constraints. *Pattern Recognition* 45(3):1205–1210.
- Zhu, X., and Ghahramani, Z. 2002. Learning from labeled and unlabeled data with label propagation.