

Epistemic EFX Allocations Exist for Monotone Valuations

Hannaneh Akrami^{1,2}, Nidhi Rathi^{1,3}

¹Max Planck Institute for Informatics

²Graduiertenschule Informatik, Universität des Saarlandes

³Saarland Informatics Campus

hakrami@mpi-inf.mpg.de, nrathi@mpi-inf.mpg.de

Abstract

We study the fundamental problem of *fairly* dividing a set of indivisible items among agents with (general) monotone valuations. The notion of *envy-freeness up to any item* (EFX) is considered to be one of the most fascinating fairness concepts in this line of work. Unfortunately, despite significant efforts, existence of EFX allocations is a major open problem in fair division, thereby making the study of approximations and relaxations of EFX a natural line of research. Recently, Caragiannis et al. (2023) introduced a promising relaxation of EFX, called *epistemic EFX* (EEFX). An allocation is EEFX, if for every agent, it is possible to shuffle the items in the remaining bundles so that she becomes “EFX-satisfied”. Caragiannis et al. (2023) prove existence and polynomial-time computability of EEFX allocations for additive valuations. A natural question asks what happens when we consider valuations more general than additive?

We address this important open question and answer it affirmatively by establishing the *existence* of EEFX allocations for an arbitrary number of agents with general *monotone* valuations. To the best of our knowledge, besides EF1, EEFX is the only known relaxation of EFX to have such strong existential guarantees. Furthermore, we complement our existential result by proving computational and information-theoretic lower bounds. We prove that even for an arbitrary number of (more than one) agents with identical submodular valuations, it is PLS-hard to compute EEFX allocations and it requires exponentially-many value queries to do so.

1 Introduction

The theory of fair division addresses the fundamental problem of dividing a set of resources in a *fair* manner among individuals (often called agents) with varied preferences. This problem arises naturally in many real-world settings, such as division of inheritance, dissolution of business partnerships, divorce settlements, assigning computational resources in a cloud computing environment, course assignments, allocation of radio and television spectrum, air traffic management, course assignments, to name a few (Etkin, Parekh, and Tse 2007; Moulin 2004; Vossen 2002; Budish and Cantillon 2012). Although the roots of fair division can be found in antiquity, for instance, in ancient Greek mythology and the Bible, its first mathematical exposition dates back to

the seminal work of Steinhaus, Banach, and Knaster (Steinhaus 1948). Since then, the theory of fair division has received significant attention and a flourishing flow of research from areas across economics, social science, mathematics, and computer science; see (Amanatidis et al. 2022; Brams and Taylor 1996; Brandt and Procaccia 2016; Robertson and Webb 1998) for excellent expositions.

The development of fair division protocols plays a crucial role in ensuring equitable outcomes in the design of many social institutions. With the advent of internet, the necessity of having division rules that are both transparent and agreeable or, in other words, *fair* has become evident (Moulin 2019). There are many examples to see how the principles of fair division are being applied in various technological platforms today.^{1 2}

Some of the central solution concepts and axiomatic characterizations in the fair division literature stem from the cake-cutting context (Moulin 2004) where the resource to be divided is considered to be a (divisible) cake $[0, 1]$. The quintessential notion of fairness—*envy-freeness*—was also mathematically formalized in this setup (Foley 1967; Varian 1973). We say an allocation is *envy-free* if every agent prefers their share in the division at least as much as any other agent’s share. Strong existential guarantees of envy-free cake division that also establishes a connection with topology (Stromquist 1980; Su 1999), has made envy-freeness as the representative notion of fairness in resource-allocation settings. Unfortunately, an envy-free allocation is not guaranteed to exist when we need to fairly divide a set of indivisible items: consider two agents and a single valuable item. Only one agent can get the item, and the other agent will be envious. Furthermore, it is NP-hard to decide whether an envy-free allocation exists e.g., see (Bouveret and Lemaître 2016). Infeasibility along with high computational complexity of envy-free allocations has led to study of its various relaxations for the discrete setting.

In this paper, we consider the setting where the resource is a set of discrete or indivisible items, each of which must be wholly allocated to a single agent. A fair division instance consists of a set $\mathcal{N} = \{1, 2, \dots, n\}$ of n agents and a set \mathcal{M} of items. Every agent i specifies her preferences via a valua-

¹See www.spliddit.org

²<http://www.nyu.edu/projects/adjustedwinner/>

tion function $v_i: 2^{\mathcal{M}} \rightarrow \mathbb{R}$. We study general *monotone valuations* that pertains adding a good to a bundle cannot make it worse. The goal is to find a partition $X = (X_1, \dots, X_n)$ of the items where every agent $i \in \mathcal{N}$ upon receiving bundle X_i considers X to be *fair*.

Envy-freeness up to any item (EFX): One of the most compelling notions of fairness for discrete setting is *envy-freeness up to any item* (EFX). This notion was introduced by Caragiannis et al. (2016). An allocation is EFX if every agent prefers her own bundle to the bundle of any other agent, after removing *any* item from the latter. EFX is considered to be the “closest analogue of envy-freeness” for discrete setting (Caragiannis, Gravin, and Huang 2019). Unfortunately, despite significant efforts over the past few years, existence of EFX allocations remains as the biggest and the most challenging open problem in fair division, even for instances with more than three agents with additive valuations (Procaccia 2020; Chaudhury, Garg, and Mehlhorn 2020; Berger et al. 2022; Akrami et al. 2023a). See Section 1.3 for a list of related results about EFX. EFX for chores can be defined symmetrically. In fair allocation of indivisible chores, an allocation is EFX if if every agent prefers her own bundle after the removal of *any* chore to the bundle of any other agent. Unlike the goods setting, non-existence of EFX allocations for chores when agents have arbitrary monotone valuations is known (Christoforidis and Santoriannis 2024).

Epistemic envy-freeness up to any item (EEFX): A recent work of Caragiannis et al. (2023) introduced a promising relaxation of EFX, called *epistemic EFX* (which adapts the concepts of *epistemic envy-freeness* defined by Aziz et al. (2018)). We call an allocation X EEFX if for every agent $i \in [n]$, there exists an allocation Y such that $Y_i = X_i$ and for every bundle $Y_j \in Y$, we have $v_i(X_i) \geq v_i(Y_j \setminus \{g\})$ for every $g \in Y_j$ (and for the case of chores $v_i(X_i \setminus \{c\}) \geq v_i(Y_j)$ for every $c \in X_i$). That is, an allocation is EEFX if, for every agent, it is possible to shuffle the items in the remaining bundles so that she becomes “EFX-satisfied”. See Example 1.1 for a better intuition.

Example 1.1. Consider a fair division instance consisting of 7 items and 3 agents with additive valuations as described in Table 1. Now consider the allocation X where $X_1 = \{g_1, g_2, g_4\}$, $X_2 = \{g_3, g_5, g_6\}$, and $X_3 = \{g_7\}$. Note that X is envy-free, and hence, EFX and EEFX. Now assume that agent 1 and 2 exchange the items g_3 and g_4 . Formally, let $Y = (\{g_1, g_2, g_3\}, \{g_4, g_5, g_6\}, \{g_7\})$. For $i \in \{1, 2\}$, have $v_i(Y_i) = 300 > 201 = v_i(X_i)$, and $v_3(Y_3) = v_3(X_3)$. Therefore, intuitively it seems that Y is a better allocation compared to X since agents 1 and 2 are strictly better off and agent 3 is as happy as before (i.e., Y Pareto dominates X). However, note that while allocation Y is still EEFX, it is not EFX. Namely, for agent 3 we have: $v_3(Y_1 \setminus \{g_1\}) = 100 > 55 = v_3(Y_3)$.

Caragiannis et al. (2023) establish existence and polynomial-time computability of EEFX allocations for an arbitrary number of agents with a restricted class of *additive* valuations. Thus, the following question naturally arises:

	g_1	g_2	g_3	g_4	g_5	g_6	g_7
v_1	100	100	100	1	1	1	1
v_2	1	1	1	100	100	100	1
v_3	1	50	50	1	1	1	55

Table 1: The additive valuation functions of 3 agents for 7 goods.

Do EEFX allocations always exist for an arbitrary number of agents with general *monotone* valuations?

1.1 Our Results

We answer the above question affirmatively and establish computational hardness and information-theoretic lower bounds for finding EEFX allocations:

1. EEFX allocations are guaranteed to *exist* for any fair division instance with an arbitrary number of agents having general *monotone* valuations; see Theorem 3.5.
2. Exponentially (in the number of goods) many valuation queries is required by any deterministic algorithm to compute an EEFX allocation for fair division instances with an arbitrary number of agents with identical submodular valuations; see Theorem 4.7.
3. The problem of computing EEFX allocations for fair division instances with an arbitrary number of agents having identical submodular valuations is PLS-hard; see Theorem 4.8.

It is relevant to note that, with the above results, the notion of *epistemic*-EFX becomes the *second* known relaxation of EFX (besides EF1), that admits such strong existential guarantees. Along-with its hardness results, the notion of EEFX for discrete settings seems to enjoy results of *similar* flavor as that of envy-freeness for cake division (Stromquist 1980, 2008; Deng, Qi, and Saberi 2012).

Similar computational hardness and information-theoretic lower bounds are known for computing an EFX allocation between two agents with identical submodular valuations; see (Plaut and Roughgarden 2020) and (Goldberg, Høgh, and Hollender 2023). Observe that, the set of EEFX and EFX allocations are identical in instances with two agents. Hence, the computational hardness and information-theoretic lower bounds known for computing EFX allocations between two agents carry forward to EEFX allocations as well, but *only* for two agents. At first sight, it might seem trivial that finding an EEFX allocation can only get harder when the number of agents grows. However, note that when the number of agents grows, more bundles become “EEFX-feasible” for each agent, and hence, finding an EEFX allocation may be done faster. Nevertheless, in this work, we prove similar lower bounds for EEFX by reducing the problem of computing an EEFX allocation among an arbitrary number of agents with identical submodular valuations from the problem of computing an EFX allocation among two agents with identical submodular valuations. See Section 7.2 in

(Arunachaleswaran, Barman, and Rathi 2022) for further discussion on the PLS class.

Although similar computational hardness and information-theoretic bounds hold true for finding EFX and EEFX allocations, our work has proved guaranteed existence of EEFX allocations for an arbitrary number of agents with monotone valuations, whereas existence of EFX allocations for more than three agents even with additive valuations remain a major open problem.

Due to space constraints, in the rest of this paper, we focus on the goods setting. However, we note that our existential result for EEFX allocations also holds for the chores setting when agents have non-increasing monotone valuations. The proofs in the chores setting closely resemble those in the goods setting, with adjustments made to accommodate the definition of EFX for chores.

1.2 Our Techniques

Consider a fair division instance $\mathcal{I} = (\mathcal{N}, \mathcal{M}, \mathcal{V})$ which consists of a set \mathcal{N} of n agents, a set \mathcal{M} of m items and a set \mathcal{V} consisting of agent-valuations over \mathcal{M} . and a *desirable property* \mathcal{P} of a bundle $B \subseteq \mathcal{M}$ for an agent $i \in \mathcal{N}$. In this work, we consider the fairness property of whether B is *n-epistemic-EFX* for an agent i (see Definition 2.3). We say B is *desirable* to i when B satisfies the property \mathcal{P} for agent i . The goal is to find an allocation $A = (A_1, \dots, A_n)$ such that A_i is desirable to each agent $i \in \mathcal{N}$; we call such an allocation *desirable*.

For any partitioning of the items into n bundles X_1, X_2, \dots, X_n , let us consider a bipartite graph $G(X)$ with one side representing the n agents and the other side representing the n bundles. There exists an edge (i, j) between (the node corresponding to) agent i and (the node corresponding to) bundle X_j , if and only if, bundle X_j is *desirable* to agent i . For any subset of the nodes $S \subseteq \mathcal{N}$, let us write $N(S)$ to denote the set of all neighbours of S in $G(X)$.

Note that, if $G(X)$ has a perfect matching, then this matching translates to a *desirable* allocation in \mathcal{I} . Therefore, let us assume that $G(X)$ does not admit a perfect matching and hence admits a Hall's violator set. That is, there exists a subset of agents $\{a_1, \dots, a_{t+1}\}$ for which $|N(\{a_1, \dots, a_{t+1}\})| \leq t$. But also, there exists a subset of bundles $\{X_{j_1}, \dots, X_{j_{k+1}}\}$ for which $|N(\{X_{j_1}, \dots, X_{j_{k+1}}\})| \leq k$. Let us assume that $\{X_{j_1}, \dots, X_{j_{k+1}}\}$ is minimal. If $k \geq 1$, this means that we can find a non-empty matching of $((i_1, X_{j_1}), \dots, (i_k, X_{j_k}))$ such that there exists no edge between agent $i \in \mathcal{N} \setminus \{i_1, \dots, i_k\}$ and bundles $X_{j_1}, \dots, X_{j_{k+1}}$. In other words, for all $\ell \in [k]$, X_{j_ℓ} is desirable to i_ℓ and is not desirable to any $i \notin \{i_1, \dots, i_k\}$.

After finding such a matching, it is intuitive to allocate X_{j_ℓ} to i_ℓ for all $\ell \in [k]$ and then recursively find a desired allocation of the remaining goods to the remaining agents. In order to do so, we need to ensure two important conditions.

1. We can find a non-empty matching $((i_1, X_{j_1}), \dots, (i_k, X_{j_k}))$ in each step.
2. After removing $X_{j_1} \cup \dots \cup X_{j_k}$ from \mathcal{M} , we can still find

desirable bundles (with respect to the original instance) for the remaining agents.

Whether ensuring these conditions is possible or not, depends on the property \mathcal{P} . In this work, we prove this approach works when the property \mathcal{P} is *n-epistemic-EFX*, and thereby proving the existence of EEFX allocations for monotone valuations.

Although these two conditions might seem inconsequential, we prove that a stronger condition can simultaneously imply both of them. Namely, we only need to prove that at each step with n' remaining agents, for any remaining agent i , we can partition the remaining items into n' many bundles $X_1, \dots, X_{n'}$ such that X_j is desirable to i for all $j \in [n']$. This way, at each step, we can ask one of the remaining agents to partition the remaining goods into n' many desirable bundles with respect to her own valuation. Then, we either find a perfect matching, or we find a non-empty matching and reduce the size of the instance.

This technique works when the desirable property is, for instance, *proportionality* (moving-knife procedure (Dubins and Spanier 1961)) or *maximin share* (Steinhaus 1948; Amanatidis et al. 2021; Kuhn 1967; Aigner-Horev and Segal-Halevi 2022; Hummel 2024). In this paper, we show that EEFX allocations under monotone valuations are also compatible with the above technique. Recently, Bu et al. (2024) proved this technique also works for finding PROP1 allocations³ among agents with additive valuations in a *comparison-based model*. In that model, two bundles are presented to an agent and she responds by telling which bundle she prefers.

1.3 Further Related Work

Plaut and Roughgarden (2020) proved the existence of EFX for two agents with monotone valuations. For three agents, a series of works proved the existence of EFX allocations when agents have additive valuations (Chaudhury, Garg, and Mehlhorn 2020), *nice-cancelable* valuations (Berger et al. 2022), and finally when two agents have monotone valuations and one has an *MMS-feasible* valuation (Akrami et al. 2023a). EFX allocations exist when agents have identical (Plaut and Roughgarden 2020), binary (Halpern et al. 2020), or bi-valued (Amanatidis et al. 2021) valuations. Several approximations (Chaudhury et al. 2021; Amanatidis, Markakis, and Ntokos 2020; Chan et al. 2019; Farhadi et al. 2021) and relaxations (Amanatidis et al. 2021; Caragiannis, Gravin, and Huang 2019; Berger et al. 2022; Mahara 2021; Jahan et al. 2023; Berendsohn, Boyadzhiyska, and Kozma 2022; Akrami, Rezvan, and Seddighin 2022) of EFX have become an important line of research in discrete fair division.

Another relaxation of envy-freeness proposed in discrete fair division literature is that of *envy-freeness up to some item* (EF1), introduced by Budish (2011). It requires that each agent prefers her own bundle to the bundle of any other agent, after removing some item from the latter. EF1 alloca-

³PROP1 requires each agent's proportionality if one item is (hypothetically) added to that agent's bundle.

tions always exist and can be computed efficiently (Lipton et al. 2004).

Proportionality (Dubins and Spanier 1961; Steinhaus 1948) is another well-studied notion of fairness having its roots in cake division literature. An allocation is proportional if each agent gets a bundle of items for which her value exceeds her total value for all items divided by the number of agents. It is easy to see that a proportional allocations do not necessarily exist for the setting of discrete items.

Among the relaxations of proportionality, the one that has received the lion’s share of attention uses the so-called *maximin fair share* (MMS), i.e., the maximum value an agent can attain in any allocation where she is assigned her least preferred bundle, as threshold. Surprisingly, Kurokawa, Procaccia, and Wang (2016) proved that MMS allocations may not always exist. Since then, research has focused on computing allocations that approximate MMS; e.g., see (Amanatidis et al. 2017; Kurokawa, Procaccia, and Wang 2018; Ghodsi et al. 2018; Barman and Krishnamurthy 2020; Garg and Taki 2020; Feige, Sapir, and Tauber 2021; Akrami et al. 2023b; Akrami and Garg 2024) for additive, (Barman and Krishnamurthy 2020; Ghodsi et al. 2018; Uziah and Feige 2023) for submodular, (Ghodsi et al. 2018; Seddighin and Seddighin 2022; Akrami et al. 2023c) for XOS, and (Ghodsi et al. 2018; Seddighin and Seddighin 2022) for subadditive valuations.

Proportionality up to one good (PROP1) (Conitzer, Freeman, and Shah 2017) is another relaxation of proportionality which can be guaranteed together with Pareto optimality (Barman and Krishnamurthy 2019). Proportionality up to any good (PROPX) on the other hand, is not a guaranteed to exist in the goods setting (Aziz, Moulin, and Sandmirskiy 2020).

An excellent recent survey by (Amanatidis et al. 2022) discusses the above fairness concepts and many more. Another aspect of discrete fair division which has garnered an extensive research is when the items that needs to be divided are *chores*. We refer the readers to the survey by (Guo, Li, and Deng 2023) for a comprehensive discussion.

1.4 Organization

We begin by discussing the preliminaries in Section 2. We prove our key result of guaranteed existence of EEFX allocations for monotone valuations in Section 3. We conclude by proving information/theoretic lower bounds for computing an EEFX allocation in Section 4. Towards the end, we discuss a list of many interesting open problems motivated by this work in Section 5.

2 Definitions and Notation

For any positive integer k , we use $[k]$ to denote the set $\{1, 2, \dots, k\}$. We denote a fair division instance by $\mathcal{I} = (\mathcal{N}, \mathcal{M}, \mathcal{V})$, where $\mathcal{N} = [n]$ is a set of n agents, \mathcal{M} is a set of m items and $\mathcal{V} = (v_1, v_2, \dots, v_n)$ is a vector of valuation functions. For any agent $i \in \mathcal{N}$, we write $v_i : 2^{\mathcal{M}} \rightarrow \mathbb{R}_{\geq 0}$ to denote her valuation function over the set of items. For all $i \in \mathcal{N}$, we assume v_i is normalized; i.e., $v_i(\emptyset) = 0$,

and *monotone*; i.e., for all $i \in \mathcal{N}$, $g \in \mathcal{M}$ and $S \subset \mathcal{M}$, $v_i(S \cup \{g\}) \geq v_i(S)$. For simplicity, we sometimes use g instead of $\{g\}$ to denote a set with a single item. We use “items” and “goods” interchangeably.

For a fair division instance $\mathcal{I} = (\mathcal{N}, \mathcal{M}, \mathcal{V})$ with monotone valuations, we consider the valuations to be accessed via an oracle. Note that, monotone valuations are the most general class of valuations when the set of items consists of only goods or only chores. A valuation functions $v : 2^{\mathcal{M}} \rightarrow \mathbb{R}$ is submodular, if and only if for all subsets of items S and T , $v(S) + v(T) \geq v(S \cup T) + v(S \cap T)$.

An allocation $X = (X_1, X_2, \dots, X_n)$ of the items among agents is a partition of items into n bundles such that bundle X_i is allocated to agent i . That is, we have $X_i \cap X_j = \emptyset$ for all $i, j \in \mathcal{N}$ and $\cup_{i \in [n]} X_i = \mathcal{M}$.

Let us now define the concept of *strong envy* that characterizes one of most compelling notions of fairness in the literature - *envy-freeness up to any item* (EFX).

Definition 2.1 (Strong Envy). For a fair division instance, we say an agent i upon receiving a bundle $A \subseteq \mathcal{M}$ *strongly envies* a bundle $B \subseteq \mathcal{M}$, if there exists an item $g \in B$ such that $v_i(A) < v_i(B \setminus g)$. Under an allocation X , we say agent i *strongly envies* agent j , if upon receiving X_i , agent i strongly envies the bundle X_j .

Definition 2.2 (EFX). For a fair division instance, an allocation $X = (X_1, X_2, \dots, X_n)$ is said to be “*envy-free up to any item*” or “EFX”, if no agent strongly envies another agent. i.e., for all agents i and j , $v_i(X_i) \geq v_i(X_j \setminus g)$ for all $g \in X_j$.

Recently, Caragiannis et al. (2023) introduced a promising new notion of fairness — *epistemic EFX* – by relaxing EFX, that we define next. They proved *epistemic EFX* allocations among an arbitrary number of agents with additive valuations can be computed in polynomial time.

Definition 2.3. For any integer k , agent $i \in [n]$ and subset of items $S \subseteq \mathcal{M}$, we say that a bundle $A \subseteq S$ is “*k-epistemic-EFX*” for i with respect to S , if there exists a partitioning of $S \setminus A$ into $k - 1$ bundles C_1, C_2, \dots, C_{k-1} , such that for all $j \in [k - 1]$, upon receiving A , i would not strongly envy C_j . We call $C = \{C_1, C_2, \dots, C_{k-1}\}$ a “*k-certificate*” of A for i under S . Also we define

$$\text{EEFX}_i^k(S) := \{A \subseteq S \mid A \text{ is “}k\text{-epistemic-EFX” for agent } i \text{ with respect to } S\}.$$

Definition 2.4 (EEFX). For a fair division instance, an allocation $X = (X_1, X_2, \dots, X_n)$ is said to be *epistemic EFX* or EEFX if for all agents i , $X_i \in \text{EEFX}_i^n(\mathcal{M})$.

Note that the set of EFX and EEFX allocations coincide for the case of two agents. Next, we define a notion of *EEFX-graph* that plays a crucial role in proving the existence of EEFX allocations.

Definition 2.5. For a fair division instance, consider a partition of \mathcal{M} into n bundles Y_1, \dots, Y_n . We define the *EEFX-graph* as an undirected bipartite graph $G = (V, E)$, where V has one part consisting of n nodes corresponding to the agents and another part with n nodes corresponding to the bundles Y_1, \dots, Y_n . There exists an edge (i, j) between (the

node corresponding to) agent i and (the node corresponding to) bundle Y_j if and only if $Y_j \in \text{EEFX}_i^n(\mathcal{M})$.

We abuse the notation and refer to the “nodes corresponding to agents” as “agents” and also refer to the “nodes corresponding to bundles” as “bundles”. For any subsets V of nodes, $N(V)$ is the set of all neighbors of the nodes in V . For a matching M , $V(M)$ is the set of vertices of M .

3 Existence of Epistemic EFX Allocations

In this section, we prove our main result that establishes existence of EEFX allocations for any fair division instance with n agents having monotone valuations. We start by proving an important structural property (in Lemma 3.1) that enables us to reduce an instance to one with lower number of agents.

Lemma 3.1. *For any fair division instance, consider an agent $i \in \mathcal{N}$ and $A \subseteq \mathcal{M}$ such that $A \notin \text{EEFX}_i^n(\mathcal{M})$. Then for all bundles $B \in \text{EEFX}_i^{n-1}(\mathcal{M} \setminus A)$, we must have $B \in \text{EEFX}_i^n(\mathcal{M})$.*

Proof. For an agent $i \in \mathcal{N}$, let us assume that bundle $A \subseteq \mathcal{M}$ is such that $A \notin \text{EEFX}_i^n(\mathcal{M})$. Now, consider any bundle $B \in \text{EEFX}_i^{n-1}(\mathcal{M} \setminus A)$, i.e., there exists an $(n-1)$ -certificate of B for i under $\mathcal{M} \setminus A$, we call it $C = \{C_1, \dots, C_{n-2}\}$. By definition, we have that

$$v_i(B) \geq v_i(C_j \setminus g) \text{ for all } j \in [n-2] \text{ and } g \in C_j \quad (1)$$

If $v_i(A) \geq v_i(B)$, then combining it with equation (1), we obtain $\{B, C_1, \dots, C_{n-2}\}$ is an n -certificate of A for i under \mathcal{M} and $A \in \text{EEFX}_i^n(\mathcal{M})$, leading to a contradiction. Hence, we must have

$$v_i(B) \geq v_i(A) \quad (2)$$

Finally, combining equations (1) and (2), we obtain $\{A, C_1, \dots, C_{n-2}\}$ is an n -certificate of B for i under \mathcal{M} and $B \in \text{EEFX}_i^n(\mathcal{M})$. This completes our proof. \square

Lemma 3.1 implies that if an agent i finds a bundle A to be n -epistemic-EFX while no other agent finds A to be n -epistemic-EFX, we can safely allocate A to i , and remove i and A from the instance and find an EEFX allocation of $\mathcal{M} \setminus A$ to the remaining $n-1$ agents. Note that we can repeat this process iteratively and remove $t \geq 1$ agents and t bundles. The formal description is given in Corollary 3.2.

Corollary 3.2 (of Lemma 3.1). *For a fair division instance, consider a partial allocation $(X_{k+1}, X_{k+2}, \dots, X_n)$ to agents in the set $[n] \setminus [k]$. Let us assume that for all agents $i \in [n] \setminus [k]$ and all $j \in [k]$, we have $X_i \in \text{EEFX}_i^n$, $X_i \notin \text{EEFX}_j^n$. If (X_1, \dots, X_k) is an EEFX allocation of $\mathcal{M} \setminus \bigcup_{\ell \in [k]} X_\ell$ for agents in $[k]$, then (X_1, X_2, \dots, X_n) is an EEFX allocation for agents in $[n]$.*

We will now give a high-level overview of our constructive proof for establishing the existence of EEFX allocation among arbitrary number of agents with monotone valuations using ALG (see Algorithm 1). For a fair division instance $\mathcal{I} = (\mathcal{N}, \mathcal{M}, \mathcal{V})$, our algorithm ALG, starts by considering an EFX allocation (X_1, \dots, X_n) of \mathcal{M} among n agents

Algorithm 1: ALG = EEFX(\mathcal{I})

Input: A fair division instance $\mathcal{I} = (\mathcal{N}, \mathcal{M}, \mathcal{V})$ where agent $i \in \mathcal{N} = [n]$ has monotone valuation v_i over the set of items \mathcal{M}

Output: An allocation $X = (X_1, X_2, \dots, X_n)$

```

1: if  $\mathcal{N} = \emptyset$  then
2:   return  $\emptyset$ ;
3:  $n \leftarrow |\mathcal{N}|$ 
4:  $(X_1, \dots, X_n) \leftarrow$  an EFX allocation of  $\mathcal{M}$  among  $n$ 
   agents with valuation  $v_n$ ;
5:  $G \leftarrow$  EEFX-graph of  $\{X_1, \dots, X_n\}$ ;
6: Let  $M = \{(k+1, X_{k+1}), \dots, (n, X_n)\}$  be a matching
   of size at least 1 such that  $N(\{X_{k+1}, \dots, X_n\}) = \{k+1, \dots, n\}$ ;
7:  $\mathcal{N}' \leftarrow [k]$ ;
8:  $\mathcal{M}' \leftarrow \mathcal{M} \setminus \bigcup_{\ell \in [n] \setminus [k]} X_\ell$ ;
9:  $\mathcal{V}' \leftarrow (V_1, \dots, V_k)$ ;
10:  $(X_1, \dots, X_k) \leftarrow \text{EEFX}(\mathcal{N}', \mathcal{M}', \mathcal{V}')$ ;
11: return  $(X_1, X_2, \dots, X_n)$ ;

```




Figure 1: If $G(X)$ does not admit a perfect matching, then there exists a minimal subset $S = \{X_{j_1}, \dots, X_{j_{k+1}}\}$ of bundles such that $|N(S)| < k+1$. Then, for all agent $i \in N(S)$ and all $\ell \in [k+1]$, no edge between X_ℓ and i exists. In other words, no such red dashed edges can exist.

with valuation v_n . We know such an allocation exists by the work of Plaut and Roughgarden (2020). Next, we construct the EEFX-graph G between the bundles X_1, \dots, X_n and the agents. Lemma 3.3 proves that there will always exist a non-trivial matching⁴ $M = \{(k+1, X_{k+1}), \dots, (n, X_n)\}$ such that $N(\{X_{k+1}, \dots, X_n\}) = \{k+1, \dots, n\}$. That is, for every $j \in [n] \setminus [k]$, bundle $X_j \in \text{EEFX}_j^n(\mathcal{M})$.

Next, ALG reduces the instance by removing the agents $\{k+1, k+2, \dots, n\}$ from \mathcal{N} with their bundles $X_{k+1}, X_{k+2}, \dots, X_n$ safely. Note that, no agent $i \in [k]$ has any edge in G to any bundle X_j for $j \in [n] \setminus [k]$. Finally, this also implies that finding an EEFX allocation (X_1, X_2, \dots, X_k) in the reduced instance and combining it with $(X_{k+1}, X_{k+2}, \dots, X_n)$ leads to an overall EEFX allocation in the original instance. That is, our technique enables us to reduce our instance, find an EEFX allocation in the reduced instance, and combine it in such a way that we produce an EEFX allocation the the original instance.

We begin by proving Lemma 3.3.

Lemma 3.3. *For any fair division instance, consider an agent $i \in \mathcal{N}$, let (X_1, \dots, X_n) be an EFX allocation for*

⁴Without loss of generality, we can rename the bundles and agents in the matching M

an instance consisting of n agents with identical valuations v_i . Let G be the EEFX-graph with n agents and n bundles X_1, \dots, X_n . Then there always exists a matching $M = \{(i_1, X_{j_1}), \dots, (i_k, X_{j_k})\}$ of size at least 1, such that $N(\{X_{j_1}, \dots, X_{j_k}\}) = \{i_1, \dots, i_k\}$.

Proof. To begin with, if G has a perfect matching $M = \{(i_1, X_{j_1}), \dots, (i_n, X_{j_n})\}$, then the lemma trivially holds true.

Therefore, let us assume that no perfect matching exists in G . This implies that the Hall's condition is not satisfied, i.e., there exists a subset $S = \{X_{j_1}, \dots, X_{j_{k+1}}\}$ of bundles such that $|N(\{X_{j_1}, \dots, X_{j_{k+1}}\})| < k + 1$. See Figure 1 for a better intuition. We assume that the subset $S = \{X_{j_1}, \dots, X_{j_{k+1}}\}$ is minimal. That is, for all $S' \subsetneq S$, we have $|N(S')| \geq |S'|$. Now consider $T = \{X_{j_1}, \dots, X_{j_k}\} \subsetneq S$. By minimality of S , we know that Hall's condition holds for T , i.e., there exists a perfect matching, say $M = \{(i_1, X_{j_1}), \dots, (i_k, X_{j_k})\}$ between the nodes in T and $N(T)$. Since $|N(S)| < k + 1$ and $\{i_1, \dots, i_k\} \subseteq N(T) \subseteq N(S)$, it follows that $N(S) = N(T) = \{i_1, \dots, i_k\}$.

Note that since (X_1, \dots, X_n) is an EFX allocation for an instance with identical valuations v_i , we know that $i \in N(S)$, thus $k \geq 1$. Hence, $M = \{(i_1, X_{j_1}), \dots, (i_k, X_{j_k})\}$ is a matching of size $k \geq 1$, such that $N(\{X_{j_1}, \dots, X_{j_k}\}) = \{i_1, \dots, i_k\}$. The stated claim stands proven. \square

Theorem 3.4 ((Plaut and Roughgarden 2020)). *When agents have identical monotone valuations, there always exists an EFX allocation.*

We are now ready to discuss our main result that constructively establishes the existence of EEFX allocation among arbitrary number of agents with monotone valuations using ALG.

Theorem 3.5. *EEFX allocations exist for any fair division instance with monotone valuations. In particular, ALG returns an EEFX allocation.*

Proof. We begin by proving that Algorithm 1 terminates. By Lemma 3.3, a matching $M = \{(i_1, X_{j_1}), \dots, (i_t, X_{j_t})\}$ of size at least 1 exists such that $N(\{X_{j_1}, \dots, X_{j_t}\}) = \{i_1, \dots, i_t\}$. Note that we can rename the bundles and the agents and without loss of generality assume that the considered matching is $M = \{(k+1, X_{k+1}), \dots, (n, X_n)\}$. Therefore, after removing $\{k+1, \dots, n\}$ from \mathcal{N} , the size of \mathcal{N} decreases. Hence, the depth of the recursion is bounded by n (the initial number of agents).

We prove the correctness of ALG by using induction on the number of the agents. If $\mathcal{N} = \emptyset$, then \emptyset is an EEFX allocation. We assume that ALG returns an EEFX allocation for any fair division instance with $n' < n$ agents with monotone valuations. Consider the matching M described in ALG. We will show the output allocation of ALG for n agents is EEFX as well. For any $i \in [n] \setminus [k]$ and any $j \in [k]$, the matching M ensures that we have $X_i \in \text{EEFX}_i^n$, and $X_i \notin \text{EEFX}_j^n$ (see Figure 1). By induction hypothesis (X_1, \dots, X_k) is an EEFX allocation of $\mathcal{M} \setminus \bigcup_{\ell \in [k]} X_\ell$ for agents in $[k]$. Thus,

by Corollary 3.2, (X_1, X_2, \dots, X_n) is an EEFX allocation for agents in $[n]$. \square

Remark 3.6. All proofs of this section that we have for the setting when items are goods easily extend to the setting when these items are 'chores'. Formally, when agent valuations are monotonically decreasing, then EEFX allocations are guaranteed to exist for an arbitrary number of agents.

4 Hardness Results

In this section, we complement our existential result of EEFX allocations for monotone valuations by proving computational and information-theoretic lower bounds for finding an EEFX allocation. When agents have submodular valuation functions, the way to compute the value $v(S)$ for a subset S of the items is through making value queries. Plaut and Roughgarden (2020) proved that exponentially many value queries are required to compute an EFX allocation *even* for two agents with identical submodular valuations. Formally, they proved the following information-theoretic lower bounds.

Theorem 4.1 ((Plaut and Roughgarden 2020)). *The query complexity of finding an EFX allocation with $|\mathcal{M}| = 2k + 1$ many items is $\Omega(\frac{1}{k} \binom{2k+1}{k})$, even for two agents with identical submodular valuations.*

Moreover, Goldberg, Høgh, and Hollender (2023) proved the following computational hardness for EFX allocations.

Theorem 4.2 ((Goldberg, Høgh, and Hollender 2023)). *The problem of computing an EFX allocation for two agents with identical submodular valuations is PLS-complete.*

See Section 7.2 in (Arunachaleswaran, Barman, and Rathi 2022) for further discussion on the complexity class PLS. Let us now define the computational problems corresponding to finding EFX and EEFX allocations.

Definition 4.3. (ID-EFX) Given a fair division instance $\mathcal{I} = ([2], \mathcal{M}, (v, v))$ with two agents having identical submodular valuations v , find an EFX allocation.

Definition 4.4. (ID-EEFX) Given a fair division instance $\mathcal{I} = ([n], \mathcal{M}, (v, \dots, v))$ with n agents having identical submodular valuations v , find an EEFX allocation.

We reduce the problem of finding an EFX allocation for two agents with identical submodular valuations (ID-EFX) to finding an EEFX allocation for an arbitrary number of agents with identical submodular valuations (ID-EEFX), thereby establishing similar hardness results for the latter.

Our Reduction: Consider an arbitrary instance $\mathcal{I} = ([2], \mathcal{M}, (v, v))$ of ID-EFX with two agents having identical submodular valuations v . Let $\mathcal{I}' = ([n], \mathcal{M}', (v', \dots, v'))$ be an instance of ID-EEFX with n agents having identical valuations v' over the set of items $\mathcal{M}' = \mathcal{M} \cup \{h_1, \dots, h_{n-2}\}$. We define the valuation v' as follows.

- For all $S \subseteq \mathcal{M}$, $v'(S) = v(S)$.
- For all $j \in [n-2]$, $v'(h_j) = 2v(\mathcal{M}) + 1$.
- For all $j \in [n-2]$ and $S \subseteq \mathcal{M}' \setminus \{h_j\}$, $v'(S \cup \{h_j\}) = v(S) + v(h_j)$.

We call items h_1, \dots, h_{n-2} heavy items. Note that we can compute \mathcal{I}' from \mathcal{I} in polynomial time.

Lemma 4.5. *If v is a submodular function, then v' is a submodular function as well.*

Proof. We need to prove that for all $S, T \subseteq \mathcal{M}$, $v'(S) + v'(T) \geq v'(S \cup T) + v'(S \cap T)$. Let H_S and H_T be the set of all heavy items in S and T respectively. We have

$$\begin{aligned}
& v'(S) + v'(T) \\
&= v'(S \setminus H_S) + v'(H_S) + v'(T \setminus H_T) + v'(H_T) \\
&= (v(S \setminus H_S) + v(T \setminus H_T)) + v'(H_S) + v'(H_T) \\
&\geq v((S \setminus H_S) \cup (T \setminus H_T)) + v((S \setminus H_S) \cap (T \setminus H_T)) \\
&\quad + v'(H_S) + v'(H_T) \quad (\text{submodularity of } v) \\
&= v'((S \cup T) \setminus (H_S \cup H_T)) + v'((S \cap T) \setminus (H_S \cap H_T)) \\
&\quad + v'(H_S) + v'(H_T) \\
&= v'((S \cup T) \setminus (H_S \cup H_T)) + v'((S \cap T) \setminus (H_S \cap H_T)) \\
&\quad + v'(H_S \cup H_T) + v'(H_S \cap H_T) \\
&\quad \quad \quad (\text{additivity of } v' \text{ on heavy items}) \\
&= v'(S \cup T) + v'(S \cap T).
\end{aligned}$$

□

Lemma 4.6. *Given any EEFX allocation A in \mathcal{I}' , we can create an EFX allocation in \mathcal{I} in polynomial time, where \mathcal{I} and \mathcal{I}' are as defined above.*

Proof. Let us assume that $A = (A_1, \dots, A_n)$ is an EEFX allocation in instance \mathcal{I}' . To begin with, note that there are $n - 2$ heavy items in \mathcal{I}' , and hence, by pigeonhole principle, there exists at least two agents, say $i, j \in \mathcal{N}'$ such that they receive no heavy item under A . Without loss of generality, let us assume that $i = 1$ and $j = 2$, and hence we have $A_1, A_2 \subseteq \mathcal{M}$. This implies that we have

$$\begin{aligned}
& v'(A_1) = v(A_1), \quad v'(A_2) = v(A_2), \\
& \text{and, } v(A_1), v(A_2) < 2v(\mathcal{M}) + 1 \quad (3)
\end{aligned}$$

Without loss of generality, let us assume $v(A_2) \geq v(A_1)$.

We will prove $(A_1, \mathcal{M} \setminus A_1)$ forms an EFX allocation in \mathcal{I} . Note that valuations v and v' coincide for the bundles A_1 and $\mathcal{M} \setminus A_1$. Since A is EEFX in \mathcal{I}' , let us denote the n -certificate for agent 1 with respect to A_1 by $C = (C_2, C_3, \dots, C_n)$. First, we prove that no bundle C_k with a heavy item can have any other item as well. Assume otherwise. Let $\{g, h_j\} \subseteq C_k$ for some $k \in \{2, \dots, n\}$ and some $j \in [n - 2]$ and $g \neq h_j$. Then, we have

$$v'(C_k \setminus g) \geq v'(h_j) = 2v(\mathcal{M}) + 1 > v'(A_1)$$

where, the last inequality uses equation (3). This implies that agent 1 strongly envies bundle C_k which is a contradiction to our assumption that C forms an n -certificate for bundle A_1 in instance \mathcal{I}' . Therefore, the $n - 1$ bundles in the n -certificate must look like $\{C_2, \dots, C_n\} = \{\{h_1\}, \dots, \{h_{n-2}\}, \mathcal{M} \setminus A_1\}$. First, note that, agent 1 with bundle A_1 must not strongly envy bundle $\mathcal{M} \setminus A_1$ since C is an n -certificate. And since, we already have $v(A_2) \geq v(A_1)$ and $A_2 \subseteq \mathcal{M} \setminus A_1$, the allocation $(A_1, \mathcal{M} \setminus A_1)$ forms an EFX allocation in \mathcal{I} . □

Theorem 4.7. *The query complexity of the EEFX allocation problem with $|\mathcal{M}| = 2k + n - 1$ many items is $\Omega(\frac{1}{k} \binom{2k+1}{k})$, for arbitrary number of agents n with identical submodular valuations.*

Proof. Consider any arbitrary instance $\mathcal{I} = ([2], \mathcal{M}, (v, v))$ with two agents having identical submodular valuations v and $|\mathcal{M}| = 2k + 1$ items. Create the instance \mathcal{I}' as described above. Using Lemma 4.5, \mathcal{I}' consists of n agents with identical submodular valuations. By Lemma 4.6, given any EEFX allocation A , we can obtain an EFX allocation for \mathcal{I} in polynomial time. Finally, using Theorem 4.1, we know that the query complexity of finding an EFX allocation in \mathcal{I} is $\Omega(\frac{1}{k} \binom{2k+1}{k})$. Hence, the query complexity of EEFX for n agents with identical submodular valuations admits the same lower bound. This establishes the stated claim. □

Finally, our next result follows using Lemma 4.6 and Theorem 4.2.

Theorem 4.8. *The problem of computing an EEFX allocation for any number $n \geq 2$ of agents with identical submodular valuations is PLS-hard.*

Since our reduction works even for three agents, Theorems 4.7 and 4.8 hold true for the problem of computing EEFX allocations even for three agents with identical submodular valuations. Note that the set of EFX and EEFX allocations coincide for the case of two agents and hence it inherits the same computational hardness guarantees as that of EFX here.

5 Conclusion and Open Problems

In this work, we establish the existence of EEFX allocations for an arbitrary number of agents with general monotone valuations. Furthermore, we also prove that the problem of computing an EEFX allocation for instances with an arbitrary number of agents with submodular valuations is PLS-hard and requires an exponential number of valuations queries as well. Our existential result of EEFX allocations for monotone valuations has opened a variety of major problems in discrete fair division. We list three of them here, that we believe should be explored first.

The first interesting question is, for submodular or monotone valuations, explore the possibility of a PTAS for computing an EEFX allocation, or otherwise prove its APX-hardness. An equally exciting problem would be to explore the compatibility of EEFX and EF1 allocations. Even for instances with additive valuations, does there always exist an allocation that is simultaneously both EEFX and EF1? If yes, can we compute it? What about similar compatibility question of EEFX with *Nash social welfare*? We know that a *maximum Nash welfare* (MNW) allocation is both EF1 and *Pareto-optimal* (Caragiannis et al. 2016). What kind of a relation⁵ exist between EEFX and MNW allocations?

⁵We know that MNW allocations may not be EEFX. Consider the following example with two agents and three items $\{a, b, c\}$. Agent 1 values item a at 11, item b at 1, and item c at $\varepsilon > 0$. Agent 2 values item a at 10, item b at ε , and item c at 1. Here, the unique MNW allocation (that assigns items a and b to agent 1, and item c to agent 2) is not EEFX.

References

- Aigner-Horev, E.; and Segal-Halevi, E. 2022. Envy-free matchings in bipartite graphs and their applications to fair division. *Inf. Sci.*, 587: 164–187.
- Akrami, H.; Alon, N.; Chaudhury, B. R.; Garg, J.; Mehlhorn, K.; and Mehta, R. 2023a. EFX: A Simpler Approach and an (Almost) Optimal Guarantee via Rainbow Cycle Number. In *Proceedings of the 24th ACM Conference on Economics and Computation*, EC '23, 61. New York, NY, USA: Association for Computing Machinery.
- Akrami, H.; and Garg, J. 2024. Breaking the 3/4 barrier for approximate maximin share. In *Proceedings of the 2024 Annual ACM-SIAM Symposium on Discrete Algorithms (SODA)*, 74–91. SIAM.
- Akrami, H.; Garg, J.; Sharma, E.; and Taki, S. 2023b. Simplification and Improvement of MMS Approximation. In *32nd*.
- Akrami, H.; Rezvan, R.; and Seddighin, M. 2022. An EF2X Allocation Protocol for Restricted Additive Valuations. In *Proceedings of the Thirty-First International Joint Conference on Artificial Intelligence, IJCAI*, 17–23.
- Akrami, H.; Seddighin, M.; Mehlhorn, K.; and Shahkarami, G. 2023c. Randomized and Deterministic Maximin-share Approximations for Fractionally Subadditive Valuations. *CoRR*, abs/2308.14545.
- Amanatidis, G.; Aziz, H.; Birmpas, G.; Filos-Ratsikas, A.; Li, B.; Moulin, H.; Voudouris, A. A.; and Wu, X. 2022. Fair division of indivisible goods: A survey. *arXiv preprint arXiv:2208.08782*.
- Amanatidis, G.; Birmpas, G.; Filos-Ratsikas, A.; Hollender, A.; and Voudouris, A. A. 2021. Maximum Nash welfare and other stories about EFX. *Journal of Theoretical Computer Science*, 863: 69–85.
- Amanatidis, G.; Markakis, E.; Nikzad, A.; and Saberi, A. 2017. Approximation algorithms for computing maximin share allocations. *ACM Transactions on Algorithms*, 13(4): 1–28.
- Amanatidis, G.; Markakis, E.; and Ntokos, A. 2020. Multiple birds with one stone: Beating 1/2 for EFX and GMMS via envy cycle elimination. *Theoretical Computer Science*, 841: 94–109.
- Arunachaleswaran, E. R.; Barman, S.; and Rathi, N. 2022. Fully polynomial-time approximation schemes for fair rent division. *Mathematics of Operations Research*, 47(3): 1970–1998.
- Aziz, H.; Bouveret, S.; Caragiannis, I.; Giagkousi, I.; and Lang, J. 2018. Knowledge, Fairness, and Social Constraints. In *Proceedings of the 32nd AAAI Conference on Artificial Intelligence (AAAI)*, 4638–4645.
- Aziz, H.; Moulin, H.; and Sandomirskiy, F. 2020. A polynomial-time algorithm for computing a Pareto optimal and almost proportional allocation. *Operations Research Letters*, 48(5): 573–578.
- Barman, S.; and Krishnamurthy, S. K. 2019. On the proximity of markets with integral equilibria. In *Proceedings of the AAAI Conference on Artificial Intelligence*, volume 33, 1748–1755.
- Barman, S.; and Krishnamurthy, S. K. 2020. Approximation algorithms for maximin fair division. *ACM Transactions on Economics and Computation*, 8(1): 1–28.
- Berendsohn, B. A.; Boyadzhyska, S.; and Kozma, L. 2022. Fixed-Point Cycles and Approximate EFX Allocations. In Szeider, S.; Ganian, R.; and Silva, A., eds., *47th International Symposium on Mathematical Foundations of Computer Science, MFCS 2022, August 22-26, 2022, Vienna, Austria*, volume 241 of *LIPICs*, 17:1–17:13. Schloss Dagstuhl - Leibniz-Zentrum für Informatik.
- Berger, B.; Cohen, A.; Feldman, M.; and Fiat, A. 2022. Almost Full EFX Exists for Four Agents. In *Proceedings of the 36th AAAI Conference on Artificial Intelligence (AAAI)*, volume 36(5), 4826–4833.
- Bouveret, S.; and Lemaître, M. 2016. Characterizing conflicts in fair division of indivisible goods using a scale of criteria. In *Proceedings of the 15th Autonomous Agents and Multi-Agent Systems (AAMAS)*, 259–290. Springer.
- Brams, S. J.; and Taylor, A. D. 1996. *Fair Division: From cake-cutting to dispute resolution*. Cambridge University Press.
- Brandt, F.; and Procaccia, A. D. 2016. *Handbook of computational social choice*. Cambridge University Press.
- Bu, X.; Li, Z.; Liu, S.; Song, J.; and Tao, B. 2024. Fair Division of Indivisible Goods with Comparison-Based Queries. *arXiv preprint arXiv:2404.18133*.
- Budish, E. 2011. The combinatorial assignment problem: Approximate competitive equilibrium from equal incomes. *Journal of Political Economy*, 119(6): 1061–1103.
- Budish, E.; and Cantillon, E. 2012. The multi-unit assignment problem: Theory and evidence from course allocation at Harvard. *American Economic Review*, 102(5): 2237–2271.
- Caragiannis, I.; Garg, J.; Rathi, N.; Sharma, E.; and Varicchio, G. 2023. New Fairness Concepts for Allocating Indivisible Items. In Elkind, E., ed., *Proceedings of the Thirty-Second International Joint Conference on Artificial Intelligence, IJCAI-23*, 2554–2562. International Joint Conferences on Artificial Intelligence Organization.
- Caragiannis, I.; Gravin, N.; and Huang, X. 2019. Envy-freeness up to any item with high Nash welfare: The virtue of donating items. In *Proceedings of the 20th ACM Conference on Economics and Computation (EC)*, 527–545.
- Caragiannis, I.; Kurokawa, D.; Moulin, H.; Procaccia, A. D.; Shah, N.; and Wang, J. 2016. The unreasonable fairness of maximum Nash welfare. In *Proceedings of the 2016 ACM Conference on Economics and Computation*, 305–322. ACM.
- Chan, H.; Chen, J.; Li, B.; and Wu, X. 2019. Maximin-aware allocations of indivisible goods. In *Proceedings of the 28th International Joint Conference on Artificial Intelligence (IJCAI)*, 137–143.
- Chaudhury, B. R.; Garg, J.; and Mehlhorn, K. 2020. EFX exists for three agents. In *Proceedings of the 21st ACM Conference on Economics and Computation (EC)*, 1–19.

- Chaudhury, B. R.; Kavitha, T.; Mehlhorn, K.; and Sgouritsa, A. 2021. A little charity guarantees almost envy-freeness. *SIAM Journal on Computing*, 50(4): 1336–1358.
- Christoforidis, V.; and Santorinaios, C. 2024. On the Pursuit of EFX for Chores: Non-existence and Approximations. In Larson, K., ed., *Proceedings of the Thirty-Third International Joint Conference on Artificial Intelligence, IJCAI-24*, 2713–2721. International Joint Conferences on Artificial Intelligence Organization. Main Track.
- Conitzer, V.; Freeman, R.; and Shah, N. 2017. Fair public decision making. In *Proceedings of the 2017 ACM Conference on Economics and Computation*, 629–646.
- Deng, X.; Qi, Q.; and Saberi, A. 2012. Algorithmic solutions for envy-free cake cutting. *Operations Research*, 60(6): 1461–1476.
- Dubins, L. E.; and Spanier, E. H. 1961. How to cut a cake fairly. *The American Mathematical Monthly*, 68(1P1): 1–17.
- Etkin, R.; Parekh, A.; and Tse, D. 2007. Spectrum sharing for unlicensed bands. *IEEE Journal on Selected Areas in Communications*, 25(3): 517–528.
- Farhadi, A.; Hajiaghayi, M.; Latifian, M.; Seddighin, M.; and Yami, H. 2021. Almost envy-freeness, envy-rank, and Nash social welfare matchings. In *Proceedings of the AAAI Conference on Artificial Intelligence*, volume 35, 5355–5362.
- Feige, U.; Sapir, A.; and Tauber, L. 2021. A tight negative example for MMS fair allocations. In *Proceedings of the 17th International Conference on Web and Internet Economics (WINE)*, 355–372. Springer.
- Foley, D. K. 1967. Resource allocation and the public sector.
- Garg, J.; and Taki, S. 2020. An improved approximation algorithm for maximin shares. In *Proceedings of the 21st ACM Conference on Economics and Computation (EC)*, 379–380.
- Ghodsi, M.; Hajiaghayi, M.; Seddighin, M.; Seddighin, S.; and Yami, H. 2018. Fair allocation of indivisible goods: Improvements and generalizations. In *Proceedings of the 19th ACM Conference on Economics and Computation (EC)*, 539–556.
- Goldberg, P. W.; Høgh, K.; and Hollender, A. 2023. The Frontier of Intractability for EFX with Two Agents. In *Algorithmic Game Theory: 16th International Symposium, SAGT 2023, Egham, UK, September 4–7, 2023, Proceedings*, 290–307. Springer-Verlag.
- Guo, H.; Li, W.; and Deng, B. 2023. A survey on fair allocation of chores. *Mathematics*, 11(16): 3616.
- Halpern, D.; Procaccia, A. D.; Psomas, A.; and Shah, N. 2020. Fair division with binary valuations: One rule to rule them all. In *Web and Internet Economics: 16th International Conference, WINE 2020, Beijing, China, December 7–11, 2020, Proceedings 16*, 370–383. Springer.
- Hummel, H. 2024. Maximin Shares in Hereditary Set Systems. arXiv:2404.11582.
- Jahan, S. C.; Seddighin, M.; Javadi, S. M. S.; and Sharifi, M. 2023. Rainbow Cycle Number and EFX Allocations: (Almost) Closing the Gap. In *Proceedings of the Thirty-Second International Joint Conference on Artificial Intelligence, IJCAI 2023, 19th-25th August 2023, Macao, SAR, China*, 2572–2580. ijcai.org.
- Kuhn, H. W. 1967. Chapter 2. *On Games of Fair Division*, 29–38. Princeton: Princeton University Press. ISBN 9781400877386.
- Kurokawa, D.; Procaccia, A. D.; and Wang, J. 2016. When can the maximin share guarantee be guaranteed? In *Proceedings of the 13th AAAI Conference on Artificial Intelligence (AAAI)*.
- Kurokawa, D.; Procaccia, A. D.; and Wang, J. 2018. Fair enough: Guaranteeing approximate maximin shares. *Journal of the ACM*, 65(2): 1–27.
- Lipton, R. J.; Markakis, E.; Mossel, E.; and Saberi, A. 2004. On approximately fair allocations of indivisible goods. In *Proceedings of the 5th ACM conference on Electronic commerce*, 125–131. ACM.
- Mahara, R. 2021. Extension of Additive Valuations to General Valuations on the Existence of EFX. In *Proceedings of 29th Annual European Symposium on Algorithms (ESA)*, 66:1–66:15.
- Moulin, H. 2004. *Fair division and collective welfare*. MIT press.
- Moulin, H. 2019. Fair division in the internet age. *Annual Review of Economics*, 11: 407–441.
- Plaut, B.; and Roughgarden, T. 2020. Almost envy-freeness with general valuations. *SIAM Journal on Discrete Mathematics*, 34(2): 1039–1068.
- Procaccia, A. D. 2020. Technical perspective: An answer to fair division’s most enigmatic question. *Communications of the ACM*, 63(4): 118–118.
- Robertson, J.; and Webb, W. 1998. *Cake-cutting algorithms: Be fair if you can*. AK Peters/CRC Press.
- Seddighin, M.; and Seddighin, S. 2022. Improved Maximin Guarantees for Subadditive and Fractionally Subadditive Fair Allocation Problem. In *AAAI 2022, IAAI 2022, EAAI 2022 Virtual Event, February 22 - March 1, 2022*. AAAI Press.
- Steinhaus, H. 1948. The problem of fair division. *Econometrica*, 16: 101–104.
- Stromquist, W. 1980. How to cut a cake fairly. *The American Mathematical Monthly*, 87(8): 640–644.
- Stromquist, W. 2008. Envy-free cake divisions cannot be found by finite protocols. *the electronic journal of combinatorics*, 15(1): 11.
- Su, F. E. 1999. Rental harmony: Sperner’s lemma in fair division. *The American mathematical monthly*, 106(10): 930–942.
- Uziah, G. B.; and Feige, U. 2023. On Fair Allocation of Indivisible Goods to Submodular Agents. arXiv:2303.12444.
- Varian, H. R. 1973. Equity, envy, and efficiency.
- Vossen, T. 2002. *Fair allocation concepts in air traffic management*. Ph.D. thesis, PhD thesis, University of Maryland, College Park.