

Using Nuances of Emotion to Identify Personality

Saif M. Mohammad and Svetlana Kiritchenko

National Research Council Canada
Ottawa, Ontario, Canada K1A 0R6
{saif.mohammad,svetlana.kiritchenko}@nrc-cnrc.gc.ca

Abstract

Past work on personality detection has shown that frequency of lexical categories such as first person pronouns, past tense verbs, and sentiment words have significant correlations with personality traits. In this paper, for the first time, we show that fine affect (emotion) categories such as that of excitement, guilt, yearning, and admiration are significant indicators of personality. Additionally, we perform experiments to show that the gains provided by the fine affect categories are not obtained by using coarse affect categories alone or with specificity features alone. We employ these features in five SVM classifiers for detecting five personality traits through essays. We find that the use of fine emotion features leads to statistically significant improvement over a competitive baseline, whereas the use of coarse affect and specificity features does not.

Introduction

Personality has significant impact on our lives—for example, on job performance (Tett, Jackson, and Rothstein 1991) and inter-personal relations (White, Hendrick, and Hendrick 2004). The five-factor or the big five model of personality describes personality along the dimensions of extroversion vs. introversion (sociable, assertive vs. aloof, shy), neuroticism vs. emotional stability (insecure, anxious vs. calm, unemotional), agreeability vs. disagreeability (friendly, cooperative vs. antagonistic, fault-finding), conscientiousness vs. unconscientiousness (self-disciplined, organized vs. inefficient, careless), openness to experience vs. conventionality (intellectual, insightful vs. shallow, unimaginative) (Mairesse et al. 2007).

Traditionally, researchers determine personality through specific questionnaires. However, automatically identifying personality from free-form text is far more desirable. Past work has shown that certain features such as the use of first person pronouns (*I, we*), use of words relevant to social processes (*chat, friend*), use of past tense (*had, was*), and the use of certain emotion words (*hate, angry*) have significant correlations with different personalities (Pennebaker and King 1999; Mairesse et al. 2007). Many of these approaches relied on small manually created lexicons of sentiment and other lexical categories such as lists of pronouns,

determiners, articles, social words, past tense verbs, and so on. Interestingly, word ngrams, one of the most widely used features in natural language processing and especially useful for text categorization by topic, tend not to be very helpful in personality detection.

In this paper, for the first time, we show that lexical categories corresponding to fine-grained emotions such as excitement, guilt, yearning, and admiration are significant indicators of personality. Personality has a known association with emotion. Emotions are considered to be more transient phenomenon whereas personality is more constant. Plutchik (1962) argues that the persistent situations involving such emotions produce persistent traits or personality. Past work has used small lexical categories pertaining to a few basic emotions such as anger, joy, and sadness. We believe that personality detection can benefit from a much larger lexical database with information about many different fine-grained emotions.

Further, we wanted to determine whether the gains obtained by fine affect categories are truly because of affectual grouping of words into fairly specific categories. Thus we set up comparative experiments using coarse affect features and word specificity features. We explore three affect and specificity features that draw from large automatically created lexicons: (1) *the NRC Hashtag Emotion Lexicon (Hashtag Lexicon, for short)*: a lexicon of word associations with 585 emotions, (2) *the Osgood dimensions lexicon*: a lexicon of word evaluativeness, potency and activity, and (3) *the specificity lexicon*: a lexicon of word specificity captured in the form of information content. We created the Hashtag Lexicon from about 775,000 tweets with emotion-word hashtags, following the idea of Mohammad (2012). In contrast with the Hashtag Lexicon, which has fine-grained affect categories, the Osgood Lexicon has coarse affect categories. It was created by Turney (2003) for sentiment analysis. We explore its use for personality detection. The specificity of a word is a measure of how general or specific the concept being referred to is. We create a word-level specificity lexicon using Pedersen’s precomputed scores of WordNet synset specificities.¹

¹<http://wn-similarity.sourceforge.net>.

We employ the affect and specificity features in state-of-the-art SVM classifiers and detect personalities of people through their essays. The Essays dataset we use was collected by Pennebaker and King (1999) and consists of 2469 essays (1.9 million words) by psychology students. The dataset was provided as part of a shared task in the Workshop on Computational Personality Detection.² Personality was assessed by asking the students to respond to a Big Five Inventory Questionnaire (John and Srivastava 1999). We find that the use of fine emotion features leads to statistically significant improvement over a competitive baseline, whereas the use of coarse affect and specificity features does not.

Related Work

Pennebaker and King (1999) used lexical categories from Linguistic Inquiry and Word Count (LIWC) to identify linguistic correlates of personality.³ They showed, for example, that agreeability is characterized with more positive emotion words and fewer articles and that neuroticism is characterized with more negative emotion words and more first-person pronouns. Mairesse et al. (2007) improved on these features and distribute their system online.⁴ We use all of their features to create our baseline classifier—the *Mairesse baseline*. Some of these features are listed below: word count, words per sentence, type/token ratio, words longer than six letters, negations, assents, articles, prepositions, numbers, pronouns (first person, second person, third person), emotion words, cognition words (*insight, tentative*), sensory and perceptual words (*see, hear*), social processes words (*chat, friend*), time words, space words, motion words, punctuations, and swear words. Both Pennebaker and King (1999) and Mairesse et al. (2007) worked with the Essays dataset. More recently, there is also work on personality detection from blogs (Yarkoni 2010), Facebook posts (Kosinski, Stillwell, and Graepel 2013), and Twitter posts and follower network (Qiu et al. 2012). There also exist websites that analyze blogs and display the personality types of the authors.⁵

Proposed Features for Personality Detection

Fine Affect Categories

The NRC Hashtag Emotion Lexicon (Mohammad 2012; Mohammad and Kiritchenko 2013) has word–emotion association scores for 585 emotions. A list of 585 emotion-related hashtags (e.g., #love, #annoyed, #pity) was compiled from different sources. Then, about 775,000 tweets containing at least one of these hashtags were collected from Twitter. Simple word counts were used to calculate pointwise mutual information (PMI) between an emotional hashtag and a word appearing in the tweets.

The PMI represents a degree of association between the word and emotion, with larger scores representing stronger

associations. The lexicon (version 0.1) contains around 10,000 words with associations to 585 emotion-word hashtags. We used the NRC Hashtag Lexicon by creating a separate feature for each emotion-related hashtag, resulting in 585 emotion features. The values of these features were taken to be the average PMI scores between the words in an essay and the corresponding emotion-related hashtag.

In order to compare with coarse-grained emotion features, we used the NRC Emotion Lexicon (Mohammad and Turney 2010). The lexicon is comprised of 14,182 words manually annotated with eight basic emotions (anger, anticipation, disgust, fear, joy, sadness, surprise, trust). Each word can have zero, one, or more associated emotions. We created eight features from this lexicon in the same manner as the Hashtag Lexicon features.

Coarse Affect Categories

Osgood et al. (1957) asked human subjects to rate words on various scales such as complete–incomplete, harmonious–dissonant, and high–low. They then performed a factor analysis of these ratings to discover that most of the variation was due to three dimensions: evaluativeness (*good–bad*), activity (*active–passive, large–small*), and potency (*sharp–dull, fast–slow*). Turney and Littman (2003) proposed a method to automatically calculate a word’s evaluativeness score using a vector space model and word–word co-occurrence counts in text. Turney later generated lexicons of word–evaluativeness scores and additionally lexicons of word–activity and word–potency scores for 114,271 words from WordNet. We used these lexicons and computed the average evaluativeness, activity, and potency scores of the words in an essay.

Specificity

Gill and Oberlander (2002), and later Mairesse et al. (2007), show that people with a neurotic personality tend to use concrete words more frequently. Inspired by this, we explore if people of a certain personality type tend to use terms with high specificity. The specificity of a term is a measure of how general or specific the referred concept is. For example, *entity* is a very general concept whereas *ball-point pen* is a very specific concept.

Resnik (1995) showed that specificity or information content of WordNet synsets can be accurately determined by using corpus counts. Pedersen pre-computed information content scores for 82,115 WordNet noun synsets and 13,708 verb synsets using the British National Corpus (BNC). We created a word-level information content lexicon by first mapping the words to their synsets, and then assigning the words with information content scores of the corresponding synsets. If a word is associated with more than one synset, then the synset with the highest information content is chosen. The final lexicon had 66,464 noun entries and 6,439 verb entries. We computed the average information content of the words in an essay and used it as a feature in our machine learning system.

²<http://mypersonality.org/wiki/doku.php?id=wcpr13>

³<http://www.liwc.net>

⁴<http://people.csail.mit.edu/francois/research/personality/recognizer.html>

⁵<http://www.typealyzer.com>

Automatically Identifying Personality

We trained five Support Vector Machine (SVM) classifiers for each of the five personality dimensions. SVM is a state-of-the-art learning algorithm proven to be effective on text categorization tasks and robust on large feature spaces. In each experiment, the results were averaged over three-fold stratified cross-validation. We used the LibSVM package (Chang and Lin 2011) with a linear kernel. Each essay was represented by the following groups of features:

- Mairesse Baseline (MB): This is the complete set of features used by Mairesse (2007). (Described earlier in the Related Work Section.)
- Token unigrams: Frequencies of tokens divided by the total number of tokens in an essay.
- Average Information Content (AIC): Average information content of the essay, calculated using the Specificity Lexicon.
- Features from coarse affect categories (CoarseAff): Average potency of the essay, average evaluativeness of the essay, and the average activity score of the essay calculated using the Turney lexicons.
- Features from basic emotion categories (BasicEmo): Average of the emotion association score for each of the 8 emotions in the NRC Emotion Lexicon.
- Features from fine emotion categories (FineEmo): Average of the emotion association score for each of the 585 emotions in the NRC Hashtag Lexicon.

Upon classification, the results were compared with the gold labels of yes or no for each of the five personality dimension to determine precision, recall, and F1-score. Table 1 shows the macro-average F1-scores of the yes and no labels for the five personality classes extroversion (EXT), neurotism (NEU), agreeability (AGR), conscientiousness (CON), and openness (OPN). We also present the results for a simple baseline classifier that always predicts the majority class.

Observe that the biggest gains over the Mairesse baseline are provided by the 585 fine-grained emotion categories of the Hashtag Lexicon (row f). Further, they lead to improvements in the detection of all five personality classes. To confirm the significance of these results, we repeated the experiments 10 times and compared the scores with a paired t-test. We found that the improvements the Hashtag Lexicon features offers over the Mairesse baseline are statistically significant with 99% confidence for three out of five classifiers: EXT, CON, and OPN. Note that using only eight basic emotion categories of the NRC emotion lexicon leads to much smaller improvements over MB (row e). This is despite the fact that the NRC Lexicon has more entries than the Hashtag Lexicon. Note also that adding unigram features over the Mairesse baseline does not improve the results (row b has similar values as in row a). This suggests that the Hashtag Lexicon is providing improvements not because of its vocabulary, but rather because of the way it groups the vocabulary into nuanced emotion categories.

	EXT	NEU	AGR	CON	OPN
Majority Classifier	51.70	49.90	53.10	50.80	51.50
SVM Classifier					
a. MB	54.78	58.09	54.19	55.05	59.56
b. MB + Unigrams	55.57	57.94	53.63	55.23	59.22
c. MB + AIC	54.86	58.05	54.14	54.96	59.47
d. MB + CoarseAff					
Activity	55.45	57.62	53.48	54.94	59.23
Evaluative	55.25	57.66	53.02	55.84	59.71
Potency	54.64	57.37	53.25	55.38	59.56
All three	55.32	58.10	52.95	55.48	59.88
e. MB + BasicEmo	55.50	58.23	53.04	55.53	59.10
f. MB + FineEmo	56.28	58.25	54.20	56.56	60.61
g. MB + c + d + f	56.28	58.15	53.90	56.35	60.57
h. FineEmo alone	54.68	55.74	54.02	56.46	60.43

Table 1: Macro-averaged F1-score of automatic essay classification into the big five dimensions of personality. All improvements over MB that were statistically significant are shown in bold.

Adding average information content to the Mairesse baseline improves results for the EXT class, but the improvement is not statistically significant. Using information content features of nouns alone or verbs alone led to similar results. The coarse affect features (d. rows) provide a slight improvement for the EXT, CON, and OPN classes, but again the improvements are not significant.

Row h of Table 1 shows the results obtained when using hashtag lexicon features alone (no Mairesse Baseline features). Observe that these numbers are comparable and sometimes (for CON and OPN) even better than the MB features.

Discussion

The fact that unigram features are not as helpful as in some other tasks such as classification of text by topic, is one of the reasons personality detection is a relatively hard problem. Nonetheless, the fine-grained emotion features from the Hashtag Lexicon provided statistically significant gain over the baseline. In contrast, coarse affect features and specificity features failed to provide significant improvements. This suggests that fine affect categories contain useful discriminating information not present in coarse affect categories or simple specificity features.

In order to identify which of the 585 emotions had the most discriminative information, we calculated information gain of each of 585 emotion features. (Decision tree learners use information gain to determine the sequence of nodes in the tree.) Table 2 shows the top ten emotion categories with the highest gain for the five personality dimensions. Observe that most of the emotions seem to be reasonable indicators of the corresponding personality trait. Note that the columns include emotions that are indicative of either of the two ends of the personality dimensions (for example, the emotions in column EXT are associated with either extroversion or introversion). Observe also that some of these emotions are very close to the basic emotions of happiness and sadness,

EXT	NEU	AGR	CON	OPN
possessive	guilt	happy	excited	anxious
apart	eager	anger	apprehensive	delighted
happy	interested	homesick	anger	blah
cherish	keen	giddy	hate	exhausted
admiring	helpless	chaotic	ashamed	sweet
impaired	passion	heartbroken	giddy	tired
jealousy	unhappy	sweet	partial	lonely
gleeful	insignificant	neglected	disturbed	nervous
vibrant	timid	loving	wrecked	ecstatic
huggy	anticipation	lonely	needed	wrecked

Table 2: Top ten hashtag emotion categories with highest information gain for personality classification.

but many are emotions felt at relatively specific situations, such as guilt, excitement, anxiety, and shame.

The five terms most associated with the lexical categories of *#possessive* and *#apart* (the two most discriminative emotion categories for EXT) are shown below:

#possessive: 1. *possessive*: 7.228 2. *hottie*: 6.448
3. *tense*: 5.911 4. *lover*: 5.213 5. *mine*: 4.141.

#apart: 1. *apart*: 4.6 2. *tear*: 4.065 3. *miss*: 2.341
4. *fall*: 2.085 5. *heart*: 1.63.

The numbers next to the words are their PMI scores with the emotion word hashtag. Observe that the terms in the *#possessive* category tend to be used more often by an extrovert, whereas the terms in the *#apart* category tend to be associated more with introverts.

Conclusions

It is well-established that there is relation between emotions and personality, however automatic personality detection has thus far used other features such as lexical categories of pronouns and articles. In this paper, for the first time, we showed that lexical categories corresponding to fine-grained emotions such as excitement, guilt, yearning, and admiration are significant indicators of personality. We performed experiments using three large automatically created lexicons of fine emotion categories, coarse affect categories, and word information content. We developed state-of-the-art SVM classifiers using a set of previously successful features, and added to it the three new sets of features. All three sets of features improved performance of one or more classifiers over a strong baseline of previously successful features. The improvements obtained with the fine emotion categories (the NRC Hashtag Emotion Lexicon) were particularly significant. We believe that even further gains may be obtained by combining sophisticated sentence-level emotion analysis with personality detection. The improvements obtained using coarse affect categories and information content were not statistically significant, but it is still possible that personality detection can benefit from a more creative use of these features. All resources created by the authors and used in this research effort, including the Hashtag Lexicon, are freely available.⁶

⁶Email Saif Mohammad (saif.mohammad@nrc-cnrc.gc.ca).

References

- Chang, C.-C., and Lin, C.-J. 2011. LIBSVM: A Library for Support Vector Machines. *ACM Transactions on Intelligent Systems and Technology* 2:27:1–27:27.
- Gill, A., and Oberlander, J. 2002. Taking care of the linguistic features of extraversion. In *Proceedings of the Conference of the Cognitive Science Society*, 363–368.
- John, O. P., and Srivastava, S. 1999. *The Big Five taxonomy: History, measurement, and theoretical perspectives*. Guilford Press. 102–138.
- Kosinski, M.; Stillwell, D.; and Graepel, T. 2013. Private traits and attributes are predictable from digital records of human behavior. *Proceedings of the National Academy of Sciences*.
- Mairesse, F.; Walker, M. A.; Mehl, M. R.; and Moore, R. K. 2007. Using linguistic cues for the automatic recognition of personality in conversation and text. *Journal of Artificial Intelligence Research* 30(1):457–500.
- Mohammad, S. M., and Kiritchenko, S. 2013. Fine-grained emotion categories: A task-oriented evaluation. Submitted.
- Mohammad, S. M., and Turney, P. D. 2010. Emotions Evoked by Common Words and Phrases: Using Mechanical Turk to Create an Emotion Lexicon. In *Proceedings of the NAACL-HLT 2010 Workshop on Computational Approaches to Analysis and Generation of Emotion in Text*.
- Mohammad, S. M. 2012. #Emotional Tweets. In *Proceedings of the First Joint Conference on Lexical and Computational Semantics (*SEM)*, 246–255. Montréal, Canada: Association for Computational Linguistics.
- Osgood, C. E.; Suci, G. J.; and Tannenbaum, P. 1957. *The measurement of meaning*. University of Illinois Press.
- Pennebaker, J. W., and King, L. A. 1999. Linguistic styles: language use as an individual difference. *Journal of Personality and Social Psychology* 77(6):1296–1312.
- Plutchik, R. 1962. *The Emotions*. Random House.
- Qiu, L.; Lin, H.; Ramsay, J.; and Yang, F. 2012. You are what you tweet: Personality expression and perception on twitter. *Journal of Research in Personality*.
- Resnik, P. 1995. Using information content to evaluate semantic similarity in a taxonomy. In *Proceedings of the 14th international joint conference on Artificial intelligence - Volume 1, IJCAI'95*, 448–453. San Francisco, CA, USA: Morgan Kaufmann Publishers Inc.
- Tett, R. P.; Jackson, D. N.; and Rothstein, M. 1991. Personality measures as predictors of job performance: a meta-analytic review. *Personnel Psychology* 44(4):703–742.
- Turney, P., and Littman, M. L. 2003. Measuring praise and criticism: Inference of semantic orientation from association. *ACM Transactions on Information Systems* 21(4).
- White, J. K.; Hendrick, S. S.; and Hendrick, C. 2004. Big five personality variables and relationship constructs. *Personality and Individual Differences* 37(7):1519–1530.
- Yarkoni, T. 2010. Personality in 100,000 words: A large-scale analysis of personality and word use among bloggers. *Journal of research in personality* 44(3):363–373.